



ECO Lighting Supplies

Address: P.O. Box 337, Moonah. TAS. Australia 7009 **Email:** admin@ecolightingsupplies.com.au
Website: www.ecolightingsupplies.com.au **Phone:** 1300 ALL LED

Our Story

At ECO Lighting Supplies we aim to offer Australia's leading edge lighting products. Utilising cutting edge technology to ensure our products are unmatched in the industry for energy efficiency without compromising quality of build and light delivery.

Each light is made to full SAA certification and is made with the highest quality material. This is also backed up with a full 5 year replacement warranty on 100% of our product range.

Help the environment. Reduce your carbon footprint and start saving money today.





ECO-LFT-06-10W

LFT-06-10W 10W LED flat tube Light

Dimension: L600mm*W75mm*H26mm

Power: 10W

LED information: 104PCS SMD2835(12~14LM/
PCS)

Built-in isolated drive input: AC220V/
AC85~265V/ DC12V

CCT: WW:2700~3300K/NW:4000~4500K/

CW:6000~6500K

Luminous Flux: 800~950lm

Shell: Aluminium + PC milky/frosted/clear cover

Packing: 22pcs/box

Box Size: 64*36*18cm, 0.042m³

Weight per Box: 12.0kgs



ECO-LFT-06-12W

LFT-06-12W 12W LED flat tube Light

Dimension: L600mm*W75mm*H26mm

Power: 12W

LED information: 120PCS SMD3014(12~14LM/
PCS)

Built-in isolated drive input: AC220V/
AC85~265V/ DC12V

CCT: WW:2700~3300K/NW:4000~4500K/

CW:6000~6500K

Luminous Flux: 960~1140lm

Shell: Aluminium+PC milky/frosted/clear cover

Packing: 22pcs/box

Box Size: 64*36*18cm, 0.042m³

Weight per Box: 12.0kgs



ECO-LFT-06-20W

LFT-06-20W 20W LED flat tube Light

Dimension: L600mm*W75mm*H26mm

Power: 20W

LED information: 104PCS SMD2835(22~24LM/
PCS)

Built-in isolated drive input: AC220V/
AC85~265V/ DC12V

CCT: WW:2700~3300K/NW:4000~4500K/
CW:6000~6500K

Luminous Flux: 1600~1900lm

Shell: Aluminium+PC milky/frosted/clear cover

Packing: 22pcs/box

Box Size: 64*36*18cm, 0.042m3

Weight per Box: 12.0kgs



ECO-LFT-12-20W

LFT-12-20W 20W LED flat tube Light

Dimension: L1210mm*W75mm*H28mm

Power: 20W

LED information: 200PCS SMD2835(12~14LM/
PCS)

Built-in isolated drive input: AC220V/
AC85~265V/ DC12V

CCT: WW:2700~3300K/NW:4000~4500K/
CW:6000~6500K

Luminous Flux: 1600~1900lm

Shell: Aluminium+PC milky/frosted/clear cover

Packing: 10pcs/box

Box Size: 132*36*18cm, 0.042m3

Weight per Box: 12.0kgs



ECO-LFT-12-40W

LFT-12-40W 40W LED flat tube Light

Dimension: L1210mm*W75mm*H28mm

Power: 40W

LED information: 200PCS SMD2835(22~24LM/
PCS)

Built-in isolated drive input: AC220V/
AC85~265V/ DC12V

CCT: WW:2700~3300K/NW:4000~4500K/
CW:6000~6500K

Luminous Flux: 3200~3600lm

Shell: Aluminium+PC milky/frosted/clear cover

Packing: 10pcs/box

Box Size: 132*36*18cm, 0.042m³

Weight per Box: 12.0kgs



ECO-LFT-15-40W

LFT-15-40W 40W LED flat tube Light

Dimension: L1500mm*W75mm*H28mm

Power: 40W

LED information: 200PCS SMD2835(22~24LM/
PCS)

Built-in isolated drive input: AC220V/
AC85~265V

CCT: WW:2700~3300K/NW:4000~4500K/
CW:6000~6500K

LED information: SMD2835 0.2W/PCS

Luminous Flux: 3200~3600lm

Shell: Aluminium+PC milky/frosted/clear cover

Box Size: 157*19*20cm, 0.06m³

Weight per Box: 12.4kgs



ECO Lighting Supplies

Address: P.O. Box 337, Moonah. TAS. Australia 7009 **Email:** admin@ecolightingsupplies.com.au
Website: www.ecolightingsupplies.com.au **Phone:** 1300 ALL LED