



# **INTERGAS UK**

**LPG EQUIPMENT TO THE TRADE**



**Caravan**



**Camping**



**Marine**



**Construction**

**Tel: (0191) 548 5000**

**Fax: (0191) 548 5100**

**E-mail: [info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)**

**Web: [www.intergasuk.co.uk](http://www.intergasuk.co.uk)**

## How to order

**Account:** Simply fill in a credit application form and one can be approved within 24 hours.

**Proforma:** A Proforma Invoice will be raised & goods will be despatched once cheque, bank payment or Card payment is received.

### Ordering



Phone: 0191 548 5000  
Office Opening Hours: Mon-Fri 9am-5pm  
Answer phone service provided mornings,  
evenings & weekends



Fax: 0191 548 5100



Email: [info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)



Mail: INTERGAS UK Ltd  
7E Riverside Road  
Riverside Industrial Estate  
Southwick  
Sunderland  
SR5 3JG

### Carriage

#### **Mainland UK:**

£4.00 - £10.00 on orders under £250.00 Net  
£32.50 on Pallet orders under £250.00 Net  
Orders over £250.00 Net are Carriage Paid

#### **Outside Mainland UK:**

Price on Request

Please note some items may change in appearance from the pictures provided.

<b>Contents</b>	<b>Pages</b>
<b>1. LPG Heating Equipment Cabinet Heaters, Site Heaters, Space Heaters &amp; Greenhouse Heaters</b>	<b>1-4</b>
<b>2. Camping Single &amp; Double Burner Cookers, Lamps, Stoves, Gas Cartridges, Pokers, Regulator Kits &amp; Water Containers</b>	<b>5-8</b>
<b>3. Gas Cartridge Screw on, Pierceable, Push on, Oxygen, Refill &amp; Kemap</b>	<b>9</b>
<b>4. Cooking &amp; Catering Single &amp; Double Burner Cookers, Camping Stoves , Boiling Rings, Catering Urns, Quick Release Pigtailed &amp; Water Containers</b>	<b>10-14</b>
<b>5. Changeover Valves Automatic Changeovers &amp; Manual Changeovers, Changeover Accessories, Pigtailed &amp; Big Bore Pigtailed</b>	<b>15-18</b>
<b>6. Meter Box Meter Box &amp; Accessories</b>	<b>19</b>
<b>7. LPG Regulators Low &amp; High Pressure Propane, Low Pressure Butane, Regulator Accessories</b>	<b>20-24</b>
<b>8. LPG Hose High Pressure Orange Hose, Steel Overbraided Hose &amp; Hose Accessories</b>	<b>25-26</b>
<b>9. Torch Kits Single Headed Torch Kits, Multi Headed Torch Kits, Torch Kit Accessories, Shrink Wrap Gun, Turbo Torch, Piezo Torch Kits &amp; Blow Torches</b>	<b>27-34</b>

<b>Contents</b>	<b>Pages</b>
<b>10. Roofing Equipment</b> <b>Roofer's Trolley, Jointer's Single Furnace,</b> <b>Tar Boilers, High Power Burners, Ladles &amp; Buckets</b>	<b>35-36</b>
<b>11. Gas Cages &amp; Trolleys</b> <b>Cylinder Cages &amp; Cylinder Trolleys</b>	<b>37-38</b>
<b>12. Safety Signs</b>	<b>39</b>
<b>13. Brass</b> <b>Brass Fittings, Ball Valves, Hose Nozzles</b> <b>&amp; Compression Fittings</b>	<b>40-43</b>
<b>14. GOK Marine Equipment</b> <b>Regulators, Hose Assemblies, Brass Fittings</b>	<b>44-48</b>
<b>15. Containers</b> <b>Water Containers, Jerry Cans &amp; IBC Pallet Tanks</b>	<b>49-50</b>
<b>16. Packaging &amp; Stationery</b> <b>Shrink Wrap, Shrink Wrap Dispenser, Packaging Tape,</b> <b>Tape Gun, Padded Envelopes, Envelopes &amp; A4 Paper</b>	<b>51-52</b>
<b>17. Miscellaneous</b> <b>Spanners, Leak Detector, Loxeal Thread Sealant,</b> <b>Thermocouples, Gas Match, PTFE, Refill, Genie &amp; Valves</b>	<b>53-55</b>
<b>18. INDEX</b>	
<b>19. Terms and Conditions</b>	



# phoenix



## Part No. CH1

- Power: 1.3-4.2KW (three settings)
- Size: 760mm (H) x 435mm (D) x 435mm (L)
  - Rotating Base for easy storage
  - Piezo electric ignition
- Oxygen Depletion System (ODS)
- Flame-failure protection device
  - 2 ceramic plates
- Complete with Hose & Regulator
  - Cylinder Capacity: Max.15kg
  - CE approved

## Ideal For:

*Offices & Workshops*

*Emergency Heating*

*Site Cabins*

*Conservatories*

*In The Home*

Spares Available



# LPG Heating Equipment

# 41

# LPG Heating Equipment

2



Part No.	Description	Operating Pressure	Rating
143	Free Standing Site Heater. Security turn down valve. Fitted with FFD & ASD. Complete with high pressure hose & a low pressure Propane regulator.	37 mbar	4.3 kW/hr



143BOT	Bottle Clamp Site Heater. Security turn down valve. Fitted with FFD & ASD. Complete with high pressure hose & a low pressure Propane regulator.	37 mbar	4.3 kW/hr
--------	---	---------	-----------

# LPG Heating Equipment



Part No.	Description	Btu
LP100	10kW Fixed Space Heater c/w Hose & Reg Red Finish	34,000
LP180	18kW Space Heater c/w Hose & Reg Adjustable from 11-18kW Red Finish	61,000
LP300	30kW Space Heater c/w Hose & Reg Adjustable from 15-30kW Red Finish	102,000
LP650	65kW Space Heater c/w Hose & Reg Adjustable from 32-65kW Red Finish	221,000
LP850	85kW Space Heater c/w Hose & Reg Adjustable from 40-85kW Red Finish	289,000

Runs on Mains Electric & Propane

# 4 LPG Heating Equipment



Part No.	Description
121	<b>2kW Stainless Steel Greenhouse Heater</b> Thermostatically controlled with flame failure safety device. Will heat a 8' x 10' Greenhouse.
122	<b>4kW Stainless Steel Greenhouse Heater</b> Thermostatically controlled with flame failure safety device. Will heat a 10' x 20' Greenhouse.





Part No.	Description
SB	Single Burner Cooker 1.5kW Output. White Enamel Finish
DB	Double Burner Cooker 2.6kW Output. White Enamel Finish



Part No.	Description	Gallons	Bags Qty
J25	25litre with Cap	5	6
J25T	25litre with Tap	5	6
J10	10litre with Cap	2	12
J10T	10litre with Tap	2	12
J5	5litre with Cap	1	25
CAP	Black Cap	N/A	N/A
TAP	Tap	N/A	N/A


All water containers are also available in pallet quantities

These containers are suitable for food contact and meet the requirements of the Food Safety Act

Camping

5

# Camping




Part No.	Description
DBG	Foldable Compact Double Burner Cooker with Grill. Can run on Butane or Propane. 3.65kW capacity



LL	Large Camping Lantern that screws directly onto refillable camping cylinders & our very own Power Tank. 500 watt output. Complete with Piezo Ignition.
----	--



20400	Small 100watt replacement soft mantle
20401	Large 500watt replacement soft mantle
GL80	80mm Replacement Glass Globe
GL100	100mm Replacement Glass Globe



LS	Large Camping Stove that screws directly onto refillable camping cylinders & our very own Power Tank. Ideal for camping, picnics & emergency use.
----	---



Part No.	Description
LAMP1	Pierceable Cartridge Lamp with Piezo Ignition
LAMP2	Screw-on Cartridge Lamp with Piezo Ignition



STOVE1	Pierceable Cartridge Stove with Piezo Ignition
STOVE2	Screw-on Cartridge Stove with Piezo Ignition



312	190g Pierceable Cartridge with Safety Re-seal
-----	---



316	470g Screw-on Valve Cartridge
-----	-------------------------------



FFCART	420ml Replacement Push on Cartridge
--------	-------------------------------------

# Camping

8



Part No.	Description
TANK	<p>A lightweight solution for anyone not wanting to carry a heavy metal refillable cylinder. This portable energy tank uses 4 easily obtainable 190g pierceable gas cartridges. Absolutely perfect for camping cookers, barbecues or anything where total portability is required. Can also be used with our Large Lamp, Large Stove and the R701 Camping Regulator</p>



POKER	<p><b>Gas Cartridge Poker</b>            A quick, convenient &amp; reliable way to light your wood fires, wood burning stoves, BBQ's and coke or charcoal braziers.            Runs off 190g pierceable cartridges (not supplied).</p>
-------	--



LPKIT	<p><b>Low Pressure Regulator Kit</b>            Consists of 1 x R157 Propane Regulator attached to 2m High Pressure 8mm Hose &amp; 1 x 8-16mm Screw Clip for attaching to appliance. For use with Boiling Rings, Single &amp; Double Burner Cookers &amp; Site Heaters. R157 can be replaced with either: R104, R701, R800, R801 or R802 regulators.</p>
-------	--



Part No.	Description
312	190g Pierceable Cartridge with Safety Re-seal



316	470g Screw-on Valve Cartridge
-----	-------------------------------



FFCART	420ml Push on Cartridge
--------	-------------------------



2350	350g Screw on Cartridge
------	-------------------------



T90OXY	930ml Oxygen Cylinder
--------	-----------------------




582	385g Kemap Gas. Special high heat LPG mixture
-----	---



REFILL	90gram Refill Gas Cartridge
--------	-----------------------------

# Gas Cartridges


# Cooking & Catering




**Part No.**

**Description**


<b>BRINGS</b>	<b>Tripod Boiling Ring</b> <b>7.5kw (25,500 btu/hr) capacity Boiling Ring</b> <b>Tripod Cast Iron Legs</b>
---------------	--



<b>BRINGM</b>	<b>Medium Boiling Ring</b> <b>7.5kw (25,500 btu/hr) capacity Boiling Ring</b> <b>Stamped Steel Frame: 400mm x 400mm</b>
---------------	---



<b>BRINGL</b>	<b>Large Boiling Ring</b> <b>7.5kw (25,500 btu/hr) capacity Boiling Ring</b> <b>Complete with thermocouple and Piezo Ignition</b> <b>Stamped Steel Frame : 400mm x 400mm</b>
---------------	---



<b>BRING3</b>	<b>Triple Burner Boiling Ring</b> <b>8.6kW (29,240 btu/hr)</b>
---------------	---



**Part No.**

**Description**

<p><b>BRINGD</b></p>	<p><b>Double Cast Iron Boiling Ring 5kw (17060 btu/hr) capacity Boiling Ring 535mm x 290mm x 105mm</b></p>
----------------------	--



<p><b>BRINGMG</b></p>	<p><b>Double Sided Cast Iron Non-Stick Griddle Plate One side flat the other ribbed Fits directly onto the BRINGM &amp; BRINGL</b></p>
-----------------------	--



<p><b>BRINGMT</b></p>	<p><b>Boiling Ring Control Tap Screw directly into the BRINGS &amp; BRINGM</b></p>
-----------------------	--



<p><b>THERMO THERMO120</b></p>	<p><b>90cm Universal Thermocouple 120cm Universal Thermocouple</b></p>
------------------------------------	--

# Cooking & Catering



Part No.	Description
SB	Single Burner Cooker 1.5kW Output. White Enamel Finish
DB	Double Burner Cooker 2.6kW Output. White Enamel Finish



DBG	Foldable Compact Double Burner Cooker with Grill Can run on Butane or Propane. 3.65kW capacity
-----	---




STOVE1	Pierceable Cartridge Stove with Piezo Ignition
STOVE2	Screw-on Cartridge Stove with Piezo Ignition



LS	Large Camping Stove that screws directly onto refillable camping cylinders & our very own Power Tank. Ideal for camping, picnics & emergency use.
----	---





Part No.	Description
QRP	<p>20" Overbraided hose complete with either 8mm, 10mm or 3/8" spigot, 15mm compression tee piece fitting attached to a quick release coupling.</p> <p>Perfect for catering trailers.</p> <p>Simply attach the pigtail to your appliance and plug in to operate!</p>



CSP	<p>36" 8mm Over Braided Copper Standpipe</p> <p>5/16" x 5/16" Copper</p> <p>Other Variation Available Upon Request</p>
-----	--



Part No.	Description	Gallons	Bag Qty
J25	25litre with Cap	5	6
J25T	25litre with Tap	5	6
J10	10litre with Cap	2	12
J10T	10litre with Tap	2	12
J5	5litre with Cap	1	25
CAP	Black Cap	N/A	N/A
TAP	Tap	N/A	N/A

All water containers available in pallet quantities

These containers are suitable for food contact and meet the requirements of the Food Safety Act

# BURCO



Spares Available

Part No.

Description

B1	<b>20 litre Stainless Steel Standard Catering Urn</b> <ul style="list-style-type: none"><li>• Comes with Non-slip Feet</li><li>• Unique Tap Design</li><li>• Safety Flame Failure Device</li></ul> <b>• Dual Wall Technology for more Efficiency &amp; Speed</b> <ul style="list-style-type: none"><li>• Flat Interior for Efficient Cleaning &amp; De-scaling</li></ul>
----	--



Spares Available


B2

B2	<b>20 litre Stainless Steel Deluxe Catering Urn</b> <ul style="list-style-type: none"><li>• Comes with Securable Feet</li><li>• Unique Tap Design</li><li>• Adjustable Flame</li><li>• Piezo Ignition</li></ul> <b>• Safety Flame Failure Device</b> <ul style="list-style-type: none"><li>• Dual Wall Technology for more Efficiency &amp; Speed</li><li>• Flat Interior for Efficient Cleaning &amp; De-scaling</li></ul>
----	---



**Operating Capacity**


Part No.	Description	Pressure	Kg/h	Outlet
M254	2 Way Automatic Changeover Includes: Pigtails, Weather Cover, Ball Valve with Test Point Union, Bracket & Safety Plaque	37mbar	4.5	1/2" FBSPT




# Changeover Valves

M254STAND	2 Way Automatic changeover on Cylinder Mounting Stand. With Cylinder Security Chain, Weather Cover, Ball Valve & Big Bore Pigtail To Copper Compression	37mbar	4.5	15mm or 22mm Comp
STAND	Mounting Stand For Changeover & Cylinders	N/A	N/A	N/A

# Changeover Valves



Part No.	Description	Operating Pressure	Capacity Kg/h
CHOVER2	2 Way Automatic Changeover Valve with OPSO (Over Pressure Shut Off)	37mbar	4.51




CHOVER4	4 Way Automatic Changeover Valve with OPSO (Over Pressure Shut Off)	37mbar	4.51
---------	---	--------	------




UG1	Changeover Upgrade Kit Includes: 2 x M20 Tees 2 x 35" Pol x M20 Pigtails
-----	--




MAN2	2 Way Manual Changeover Valve Includes: POL x M20 Pigtails, 3/8" M x 1/2 " F Ball Valve with Test Point Union	37mbar	4
------	--	--------	---




Part No.	Description
POLPOL POLPOLBR	MPOL x MPOL MPOL x MPOL (Overbraided)



POLM20 POLM20BR	MPOL x M20 Nut MPOL x M20 Nut (Overbraided)
--------------------	--




POLINV POLINVBR	MPOL x 1/4" Inverted Flare MPOL x 1/4" Inverted Flare (Overbraided)
--------------------	--



POL1/4 POL1/4BR	MPOL x 1/4" MBSPT MPOL x 1/4" MBSPT (Overbraided)
--------------------	--

0.5m is Standard Length. Other Lengths available at extra cost.




QRP	<p>20" Overbraided hose complete with either a 8mm, 10mm or 3/8" spigot, 15mm compression tee piece fitting attached to a quick release coupling.</p> <p>Perfect for catering trailers.</p> <p>Simply attach the pigtail to your appliance and plug in to operate!</p>
-----	--



# 18 Changeover Accessories



Part No.	Description
CSP	36" 8mm Over Braided Copper Standpipe 5/16" x 5/16" Copper Other Variations Available Upon Request



BIGPIG BIGPIG38	1m Big Bore Pigtail 1/2" MBSPT x 15mm Copper 1m Big Bore Pigtail 3/8" MBSPT x 15mm Copper
--------------------	--



BIGPIGCOMP1	1m Big Bore Pigtail 1/2" MBSPT x 15mm Compression
BIGPIGCOMP2	1m Big Bore Pigtail 1/2" MBSPT x 22mm Compression
BIGPIGCOMP3	1m Big Bore Pigtail 3/8" MBSPT x 15mm Compression
BIGPIGCOMP4	1m Big Bore Pigtail 3/8" MBSPT x 22mm Compression



BIGPIGASS	1m Big Bore Pigtail 1/2" MBSPT x 15mm Copper Fitted to a 37mbar 6kg/hr Propane Regulator with M.POL Inlet
-----------	---

1m is Standard Length. Other Lengths and fittings available at extra cost.



Part No.	Description
BIGPIG20Y	20 Year Life Caravan Hose Stainless Steel with a Yellow Cover 1.2 metre (4ft) 1/2" MBSPT x 15mm Copper
BIGPIG20Y5	1.5 metre (5ft) 1/2" MBSPT x 15mm Copper
BIGPIG20Y6	1.8 metre (6ft) 1/2" MBSPT x 15mm Copper
BIGPIG20Y22	1.2 metre (4ft) 1/2" MBSPT x 22mm Copper



G4DGM	Meter Box 1/2" FBSP Inlet Connection Inlet Isolation Valve 2 <sup>nd</sup> Stage UPSO/OPSO Regulator Meter Inlet Valve G4 Domestic Gas Metre 1/2" FBSP Outlet Connection
-------	--



MBSTRUT	Unistrut Post 1.5 metre. Comes complete with cap and fittings
---------	--

# LPG Regulators



Part No.	Max Inlet Operating Pressure		Capacity Kg/h	Inlet Outlet	
	Pressure	Pressure		Inlet	Outlet
R301	16bar	37mbar	4	POL Nut	8mm Nozzle
R302	16bar	37mbar	7	POL Nut	8 or 13mm Nozzle



R301X	16bar	37mbar	4	POL Nut	3/8" FBSP
R302X	16bar	37mbar	7	POL Nut	1/2" FBSP



R301XX	16bar	37mbar	4	1/4" FBSP	3/8" FBSP
R302XX	16bar	37mbar	7	1/4" FBSP	1/2" FBSP



## Low Pressure




Part No.	Max Inlet Pressure		Operating Capacity Kg/h	Inlet	Outlet
	Pressure	Pressure			
R802	6bar	37mbar	1.5	27mm Clip-On	8mm Nozzle



R157	16bar	37mbar	1.5	POL Nut	8mm Nozzle
------	-------	--------	-----	---------	---------------




R108	16bar	50mbar	1.5	POL Nut	8mm Nozzle
------	-------	--------	-----	---------	---------------



## High Pressure

R516	16bar	0-1 Bar	6	POL Nut	3/8" Left Hand Male
R504	16bar	0-2 Bar	6	POL Nut	3/8" Left Hand Male
R510	16bar	0-4 Bar	6	POL Nut	3/8" Left Hand Male

# LPG Regulators



Part No.	Max Inlet Pressure	Operating Pressure	Capacity Kg/h	Inlet	Outlet
R514	16bar	1.5bar fixed	6	POL Nut	3/8" Left Hand Male



With built in excess flow valve

R540	16bar	3.5bar fixed	10	POL Nut	3/8" Left Hand Male
------	-------	--------------	----	---------	---------------------



With built in excess flow valve

R542	16bar	4bar fixed	10	POL Nut	3/8" Left Hand Male
------	-------	------------	----	---------	---------------------



NT6	6mm Nut & Tail	In 3/8" Left Hand Female Out 6mm (1/4") Nozzle
NT8	8mm Nut & Tail	In 3/8" Left Hand Female Out 8mm (5/16") Nozzle

# LPG Regulators



Part No.	Max Inlet Pressure	Operating Pressure	Capacity Kg/h	Inlet	Outlet
R800	6bar	28mbar	1.5	20mm Clip-On	8mm Nozzle
R801	6bar	28mbar	1.5	21mm Clip-On	8mm Nozzle



R104	6bar	28mbar	1.5	Butane Nut	8mm Nozzle
------	------	--------	-----	------------	------------



R701	6bar	29mbar	0.8	M16 x 1.5	8mm Nozzle
------	------	--------	-----	-----------	------------



Fits Disposable Gas Cartridge

R702	6bar	29mbar	1.5	7/16	8mm Nozzle
------	------	--------	-----	------	------------

# 24 Regulator Accessories



Part No.	Description	Inlet/Outlet
RA801	21mm Clip on Adapter	Outlet 21.8 LH Male
RA800	20mm Clip on Adapter	Outlet 21.8 LH Male
RA802	27mm Clip on Adapter	Outlet 21.8 LH Male



A652D	Excess Flow Valve	In 3/8" Left Hand Female Out 3/8" Left Hand Male
-------	-------------------	---



FBA1P	Propane Flashback Arrestor	In 3/8" Left Hand Female Out 3/8" Left Hand Male
FBA1O	Oxygen Flashback Arrestor	In 3/8" Left Hand Female Out 3/8" Left Hand Male



11166	Pressure Gauge With Excess Flow Valve	In 5/8" Male POL Out 5/8" Female POL
-------	---------------------------------------	---



NT6	6mm Nut & Tail	In 3/8" Left Hand Female Out 6mm (1/4") Nozzle
NT8	8mm Nut & Tail	In 3/8" Left Hand Female Out 8mm (5/16") Nozzle



Part No.	Description	Coil
202	4.8mm Orange High Pressure Hose	50m
203	6.3mm Orange High Pressure Hose	50m
204	8mm Orange High Pressure Hose	50m
219	13mm Orange High Pressure Hose	120m



200	6.3mm Steel Overbraided High Pressure Hose	50m
213	8mm Steel Overbraided High Pressure Hose	50m



201	8mm Low Pressure Black Hose	50m
-----	-----------------------------	-----

**LPG Hose**

**25**

All hose manufactured to BS3212  
All hose available by the metre.

# LPG Hose



Part No.	Description
205	11-13mm Double Eared 'O' Clip
206	13-15mm Double Eared 'O' Clip
207	15-18mm Double Eared 'O' Clip



8-16	8-16mm Screw Clip
12-22	12-22mm Screw Clip
16-27	16-27mm Screw Clip
20-32	20-32mm Screw Clip
25-40	25-40mm Screw Clip
32-50	32-50mm Screw Clip
50-70	50-70mm Screw Clip




215	8mm (5/16") Straight Hose Repairer
216	6.3mm (1/4") Straight Hose Repairer



QRC	Quick Release Coupling 1/4" MBSP x 8mm nozzle
-----	--



210	8mm 3 Way 'Y' Piece Connector
-----	-------------------------------



212	8mm 4 Way 'X' Piece Connector
-----	-------------------------------



**INTERGAS UK**

LPG EQUIPMENT TO THE TRADE

**INTRODUCES**

**THE PRICE**


**EXTERMINATOR**




**27**

# Torch Kits


28



Part No.	Description
G929T	Single Head: Complete with handle & trigger, 600mm neck tube, 60mm burner, 5 metres High Pressure Hose & High Pressure Regulator.




G928T	Single Head: Complete with handle & trigger, 350mm neck tube, 50mm burner, 5 metres High Pressure Hose & High Pressure Regulator.
-------	---




G927T	Single Head: Complete with handle & trigger, 200mm neck tube, 45mm burner, 5 metres High Pressure Hose & High Pressure Regulator.
-------	---

Other variations of Torch Kits can be made to your specification. Please ask for details.





Part No.	Description
G926T	Single Head: Complete with handle & trigger, 100mm neck tube, 35mm burner, 5 metres High Pressure Hose & High Pressure Regulator.



PROF	Professional Torch Kit Complete with handle & trigger, 75mm neck & 20mm burner, 3 metres High Pressure Hose & High Pressure Regulator.
------	--



PROFSTD	Professional Torch Kit Complete with handle no trigger, 75mm neck & 20mm burner, 3 metres High Pressure Hose & High Pressure Regulator.
---------	---

# Torch Kits


Other variations of Torch Kits can be made to your specification. Please ask for details.

# Torch Kits

# 30



Part No.	Description
G960T	Two Head: Complete with handle & trigger, 2 pronged fork, 600mm neck tube, 2 x 50mm burner, 5 metres High Pressure Hose & High Pressure Regulator.












G963T	Three Head: Complete with handle & trigger, 3 pronged fork, 600mm neck tube, 3 x 45mm burner, 5 metres High Pressure Hose & High Pressure Regulator.
-------	--



G964T	Four Head: Complete with handle & trigger, 4 pronged fork, 600mm neck tube, 4 x 45mm burner, 5 metres High Pressure Hose & High Pressure Regulator.
-------	---

Other variations of Torch Kits can be made to your specification. Please ask for details.

# Torch Kits

Part No.	Description
 G2401	Handle With Trigger Inlet: 3/8" LH Male
 G2402	Handle Without Trigger Inlet: 3/8" LH Male
 G0134	Torch Kit Stand: Clamps onto Neck Tube of the Torch Kit allowing it to be placed down safely while alight.
 G921	17mm burner & 75mm Neck
 G922	20mm burner & 75mm Neck
 G908	3/8" LH Male x 3/8" LH Female Swivel Attachment that stops the hose from kinking, reduces wrist strain due to hose exit angle and fits in-between the handle & hose.
 G3135 G3145 G3150 G3160 G3176	35mm Burner 45mm Burner 50mm Burner 60mm Burner 76mm Burner
 G3710 G3720 G3735 G3760	100mm Neck Tube 200mm Neck Tube 350mm Neck Tube 600mm Neck Tube
 G3022 G3033 G3044	Two Pronged Fork Three Pronged Fork Four Pronged Fork


# Torch Kits



Part No.	Description
E929T	Single Head Economy: Complete with handle & trigger, 600mm neck tube, 60mm burner, 3 metres high pressure hose & high pressure regulator.



E960T	Two Head Economy: Complete with handle & trigger, 2 pronged fork, 600mm neck tube, 2 x 50mm burner, 3 metres high pressure hose & high pressure regulator.
-------	--



PTK	Single Head Piezo Ignition: Complete with handle & trigger, 350mm neck tube, 60mm burner, 3 metres high pressure hose & high pressure regulator.
-----	--



AP2000	Pierceable Cartridge Blow Torch: Piezo ignition, adjustable control knob, easy to operate. Runs off 190g pierceable cartridges* (Cartridge not included)
--------	--

\*For Gas Cartridges Please See Page 37



AP2010	Screw On Cartridge Blow Torch: Piezo ignition, adjustable control knob. Runs off 350g Screw on cartridges* (Cartridge not Included)
--------	---

\*For Gas Cartridges Please See Page 37



AP2020	Screw On Cartridge Blow Torch: 360°, piezo ignition, adjustable control knob. Complete with 175g gas cartridge.
--------	---




Part No.	Description
AP2030	<p><b>Kemap Professional Torch with Piezo Ignition</b>            Features a locking system for a continuous flame, adjustable flame size and a 7/16" thread connection.            Uses the 582 cartridge (not included)</p>

**\*For Gas Cartridges Please See Page 37**



T90KIT	<p><b>Welding Kit</b>            Includes: Regulators, Anti Flash Back Valves, 1.5m Hose, Welding Torch with Two Tips 0.5 and 0.65, Goggles, Cylinder Holder and Disposable Oxygen &amp; Gas Cylinders.</p>
--------	---




GTT	<p><b>The Turbo Torch</b>            Very High Powered Burner including Gas Pre Heat System, with Fixed High Pressure Regulator with built in Excess Flow Valve &amp; 5m High Pressure Hose.</p>
-----	--



SHRINK	<p><b>Heat Shrink Gun</b>            Complete with Fixed High Pressure regulator with built in Excess Flow Valve &amp; 8m High Pressure Hose.</p>
--------	---

# Torch Kits



Part No.	Description
H1	Torch Kit Hose Assembly. 5m High Pressure Hose with 3/8" Left Hand Thread Either End To Connect To Handle & Regulator.
H2	Torch Kit Hose Assembly. 3m High Pressure Hose with 3/8" Left Hand Thread Either End To Connect To Handle & Regulator.
H3	Torch Kit Hose Assembly. 8m High Pressure Hose with 3/8" Left Hand Thread Either End To Connect To Handle & Regulator.
GM1	Kemper Gas Match Sold in display boxes of 16
FL1	Flint Lighter
FLS1	Flint Spares
T900XY	110 Litre Spare Oxygen Cylinder
GLD	Gas Leak Detector
2350	350g Screw On Cartridge For use with the AP2010/AP2020
312	190g Pierceable Cartridge For use with AP2000
582	385g Kemap Gas. Contains a special high heat LPG mixture



Part No.	Description
JSF	Low level Jointers Single Furnace complete with windshield. Maximum Heat Output 10.5kw (35,800 Btu/h)

## Tar Boilers



Part No.	Description
SINGLE SKINNED	SS10 10 Gallon with Burner, Hose & Regulator
	SS15 15 Gallon with Burner, Hose & Regulator
	SS25 25 Gallon with Burner, Hose & Regulator
DOUBLE SKINNED	DS10 10 Gallon with Burner, Hose & Regulator
	DS15 15 Gallon with Burner, Hose & Regulator
	DS25 25 Gallon with Burner, Hose & Regulator
TBT	Run Off Tap Fitted at extra cost

## High Powered Burners



SM006	102,000 Btu/h, 5-7 Gallon Capacity
ST008	204,000 Btu/h, 10-25 Gallon Capacity
LG009	306,000 Btu/h, 40-60 Gallon Capacity



LDL6	6" Ladle
LDL7	7.5" Ladle

# Roofing Equipment

36



Part No.	Description
VLIP	V LIP Bucket



AB1	3 Gallon Heavy Duty 2 Handle Asphalt Bucket
-----	---



2NPC	2 Gallon Narrow Spout Pouring Can
3NPC	3 Gallon Narrow Spout Pouring Can
3WPC	3 Gallon Wide Spout Pouring Can



# Gas Cylinder Cages & Trolleys 37



Part No.	Description
1GC01	900mm x 1000mm x 500mm 3 x 19kg Cylinders
1GC02	1300mm x 1000mm x 500mm 2 x 47kg Cylinders
1GC03	1700mm x 1000mm x 500mm with Shelf 4 x 19kg or 2 x 47kg Cylinders
1GC04	1800mm x 900mm x 900mm 4 x 47kg Cylinders
1GC05	1200mm x 1200mm x 1200mm 9 x 19kg Cylinders
1GC06	1800mm x 1200mm x 1200mm 9 x 47kg Cylinders
1GC07	1800mm x 1800mm x 900mm 8 x 47kg Cylinders
1GC08	1800mm x 1800mm x 1200mm 15 x 47kg Cylinders
1GC09	1800mm x 1800mm x 1800mm 20 x 47kg Cylinders
1GC10	2000mm x 2000mm x 2000mm 25 x 47kg Cylinders
1GC11	1800mm x 2400mm x 1800mm 24 x 47kg Cylinders

LPG Cylinder Cages Available in Various Sizes. Powder Coated

# 3 ∞ Gas Cylinder Cages & Trolleys



**Part No.**

**Description**

<b>CAGE</b>	<p><b>1700mm x 880mm x 1735mm</b>  <b>Comes Flat pack with no bolting required.</b>  <b>Complete with safety signs and 2 integral folding shelves which allows 3 different combinations of cylinder sizes.</b>  <b>4 x 47kg + 8 x 19kg or 8 x 47kg or 16 x 19kg</b>  <b>Cylinders</b>  <b>Raised base for forklift access.</b></p>
-------------	--



<b>TROLLEY1</b>	<p><b>Large Gas Cylinder Trolley</b>  <b>Fits a 47kg Propane Cylinder and comes complete with a Safety Chain</b></p>
-----------------	--



<b>TROLLEY</b>	<p><b>Small Gas Cylinder Trolley</b>  <b>Fits up to a 19kg Propane or Butane Cylinder.</b>  <b>8" Rubber Wheels &amp; Safety Chain.</b></p>
----------------	---



Part No.

Description

SIGNHF	Highly Flammable LPG 100mm x 100mm
--------	---------------------------------------

Part No.

Description

SIGNFAI	Fire Action Instructions 250mm x 200mm
---------	---



Part No.

Description

SIGNDLPG	Danger LPG 150mm x 200mm
----------	-----------------------------



Part No.

Description

Part No.

Description

SIGNLPG	LPG Highly Flammable	SIGNWFL	Warning Fork Lift Trucks
SIGNSP	All Smoking Prohibited	SIGNFE	Fire Extinguisher
SIGNFA	First Aid	SIGNHV	High Visibility Clothing
SIGNHH	Hard Hat Area	All signs 200mm x 150mm	

Please Note: This is just a small collection of signs we provide, if you require one that isn't shown please ring 0191 548 5000.

Safety signs

39


# Brass Fittings



Part No.	Description
220	Butane Nut




BW	Butane Washer
----	---------------



CF105	3/8" MBSP x Fulham Nozzle
-------	---------------------------



225	POL Inlet x 6.3mm Nozzle
-----	--------------------------



M20	M20 Nut x 6.3mm Nozzle
-----	------------------------



CN8SN	1/2" FBSP Swivel Nut
-------	----------------------



NT6	3/8" Left Hand Nut x 6.3mm Nozzle
-----	-----------------------------------



212	8mm 4 Way 'X' Piece Connector
-----	-------------------------------



Part No.	Description
221	Butane Inlet x 6.3mm Nozzle



222	1/4" Inverted Flare x 6.3mm Nozzle
-----	------------------------------------



224	POL Nut 5/8" Left Hand Thread
-----	-------------------------------



226	POL Inlet x 1/4" MBSP
-----	-----------------------



CW3/23	1/4" FBSP Swivel x 6.3mm Nozzle
--------	---------------------------------




CS8	13mm Nozzle for 1/2" Swivel Nut
-----	---------------------------------



NT8	3/8" Left Hand Nut x 8mm Nozzle
-----	---------------------------------



210	8mm 3 Way 'Y' Piece Connector
-----	-------------------------------



TBLOCK	<p>POL Extended Tee</p> <p>Male 5/16" POL x 5/16" Female x 5/16" Female</p> <p>For connecting additional Propane cylinders together</p>
--------	---

Can't find the item your looking for?  
Just call our sales team on 0191 548 5000 and we'll be happy to help.

# Brass Fittings



Part No.	Description
CBV14F	1/4" FBSPT x 1/4" FBSPT Ball Valve
CBV38F	3/8" FBSPT x 3/8" FBSPT Ball Valve
CBV38	3/8" MBSPT x 3/8" FBSPT Ball Valve
CBV15MB	15mm Comp x 15mm Comp Ball Valve




CBV38T	3/8" MBSPT x 1/2" FBSP Test Point Union
CBV12T	1/2" MBSPT x 1/2" FBSP Test Point Union



CHT4-4B	1/4" MBSPT x 6.3mm Hose Nozzle
CHT4-6B	3/8" MBSPT x 6.3mm Hose Nozzle
CHT4-8B	1/2" MBSPT x 6.3mm Hose Nozzle
CHT5-4B	1/4" MBSPT x 8mm Hose Nozzle
CHT5-6B	3/8" MBSPT x 8mm Hose Nozzle
CHT5-8B	1/2" MBSPT x 8mm Hose Nozzle
CHT6-4B	1/4" MBSPT x 10mm Hose Nozzle
CHT6-6B	3/8" MBSPT x 10mm Hose Nozzle
CHT6-8B	1/2" MBSPT x 10mm Hose Nozzle
CHT8-6B	3/8" MBSPT x 13mm Hose Nozzle
CHT8-8B	1/2" MBSPT x 13mm Hose Nozzle




CF101A	1/4" Compression x 8mm Hose Nozzle
CF101A5/16	5/16" Compression x 8mm Hose Nozzle
CF105A	3/8" Compression x 8mm Hose Nozzle
CW12756	15mm Compression x 8mm Hose Nozzle



C1043	1/4" x 1/4" Equal Ended Coupling
C1045	5/16" x 5/16" Equal Ended Coupling
C1048	3/8" x 3/8" Equal Ended Coupling
M6701	6mm x 6mm Equal Ended Coupling
M6702	8mm x 8mm Equal Ended Coupling
M6703	10mm x 10mm Equal Ended Coupling
M6705	15mm x 15mm Equal Ended Coupling

Can't find the item your looking for?  
Just call our sales team on 0191 548 5000 and we'll be happy to help.

# Brass Fittings




Part No.	Description
C2003	1/4" x 1/4" Equal Elbow
C2005	5/16" x 5/16" Equal Elbow
C2008	3/8" x 3/8" Equal Elbow
M6721	6mm x 6mm Equal Elbow
M6722	8mm x 8mm Equal Elbow
M6724	10mm x 10mm Equal Elbow
M6726	15mm x 15mm Equal Elbow



C4045/3	5/16" x 1/4" Reducing Coupling
C4048/3	3/8" x 1/4" Reducing Coupling
C4048/5	3/8" x 5/16 Reducing Coupling
C4051/5	1/2" x 5/16" Reducing Coupling
C4051/8	1/2" x 3/8" Reducing Coupling



C2043	1/4" x 1/4" Equal Tee
C2045	5/16" x 5/16" Equal Tee
C2048	3/8" x 3/8" Equal Tee
M6734	6mm x 6mm Equal Tee
M6735	8mm x 8mm Equal Tee
M6736	10mm x 10mm Equal Tee
M6738	15mm x 15mm Equal Tee



CMC115/243	3/8" MBSPT x 15mm Compression
CMC15-8DOM	1/2" MBSPT x 15mm Compression



CW20E	M20 Swivel Nut x M20 Male Elbow
-------	---------------------------------



SWB	Single Wall Block M20 inlet x POL Outlet
-----	---



DWB	Double Wall Block M20 x M20 Inlet x POL Outlet
-----	---

42

Can't find the item your looking for?  
Just call our sales team on 0191 548 5000 and we'll be happy to help.

# Brass Fittings



Part No.	Description
CSNT4-6	3/8" Swivel Nut x 6mm Hose Tail
CSNT5-4	1/4" Swivel Nut x 8mm Hose Tail
CSNT5-6	3/8" Swivel Nut x 8mm Hose Tail
CSNT5-8	1/2" Swivel Nut x 8mm Hose Tail
CSNT8-6	3/8" Swivel Nut x 13mm Hose Tail
CSNT8-8	1/2" Swivel Nut x 13mm Hose Tail



CHN4-4TB	1/4" x 1/4" Hexagon Nipple
CHN6-4TB	3/8" x 1/4" Hexagon Nipple
CHN8-6TB	1/2" x 3/8" Hexagon Nipple
CHN8-8TB	1/2" x 1/2" Hexagon Nipple



CTP2043B	1/4" Test Point Union
CTP2045B	5/16" Test Point Union
CTP2048B	3/8" Test Point Union
CTP2051B	1/2" Test Point Union



CP014	1/4" Copper Tube
CP516	5/16" Copper Tube
CP038	3/8" Copper Tube
CP6	6mm Copper Tube
CP8	8mm Copper Tube
CP10	10mm Copper Tube
All copper tubing is sold by the metre	



C1023	1/4" Compression Ring
C1026	5/16" Compression Ring
C1028	3/8" Compression Ring
M6747	6mm Compression Ring
M2149	8mm Compression Ring
M8950	10mm Compression Ring
M6750	15mm Compression Ring



T89	3/8" LH Male x 1/4" RH Male Adapter
-----	-------------------------------------










Can't find the item your looking for?  
 Just call our sales team on 0191 548 5000 and we'll be happy to help.



## Complete Solutions for Absolute Safe LPG Installations on Board

LPG systems on boats are standardised in EN ISO 10239. This standard takes into account the extreme stresses, such as corrosion, low and high temperatures and movements of the boat.

**GOK Marine**

	Part No.	Description
	04 440 02	300mm 1/4" LH Nut x 8mm Compression
	04 440 01	400mm 1/4" LH Nut x 8mm Compression
	04 440 18	600mm 1/4" LH Nut x 8mm Compression
	04 440 14	300mm 1/4" LH Nut x 8mm Brass Spigot
	04 440 00	400mm 1/4" LH Nut x 8mm Brass Spigot
	04 440 19	600mm 1/4" LH Nut x 8mm Brass Spigot
	04 440 16	300mm 8mm Compression x 8mm Brass Spigot
	04 440 03	400mm 8mm Compression x 8mm Brass Spigot
	04 440 05	600mm 8mm Compression x 8mm Brass Spigot
	04 440 15	300mm 8mm Compression x 8mm Compression
	04 440 06	400mm 8mm Compression x 8mm Compression
	04 440 10	600mm 8mm Compression x 8mm Compression
	04 441 00	400mm 8mm Brass Spigot x 8mm Brass Spigot
	04 441 03	600mm 8mm Brass Spigot x 8mm Brass Spigot
	04 585 00	500mm 5/8" LH UK POL x M20 Nut
	04 586 00	500mm 21.8 LH UK Butane Nut x M20 Nut
	03 500 99	Brass Distributor Valve 2 x 8mm Compression
	03 501 99	Brass Distributor Valve 3 x 8mm Compression
	03 502 99	Brass Distributor Valve 4 x 8mm Compression
	09 736 00	Butane Gas Valve M16 x 1.5 Male x KLF Male
	09 736 05	Butane Gas Valve M16 x 1.5 Male x 21.8 LH Male

**44**

For the full GOK Marine catalogue, please  
contact us on 0191 548 5000 or  
[info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)





Part No.	Description
01 280 05	<p><b>Bulkhead Mounted Regulator with Pressure Gauge</b>  <b>Inlet: M20 Male. Outlet: 8mm Compression</b>  <b>Outlet: 30mbar</b>  <b>Flow Rate: 1.5kg/hr</b>  <b>Over Pressure Safety Device</b>  <b>Conforms to EN 12864 Annex M</b></p>



01 280 14	<p><b>Low Pressure 90° Regulator with Pressure Gauge</b>  <b>Inlet: KLF. Outlet: G1/4 LH Male</b>  <b>Outlet: 30mbar</b>  <b>Flow Rate: 0.8kg/hr</b>  <b>With Safety Pressure Relief Valve</b>  <b>Conforms to EN 12864 Annex M</b></p>
-----------	---

01 280 04	As Above but without Pressure Gauge
-----------	-------------------------------------



01 280 07	<p><b>Low Pressure 'U' Regulator with Pressure Gauge</b>  <b>Inlet: KLF. Outlet: G1/4 LH Male</b>  <b>Outlet: 30mbar</b>  <b>Flow Rate: 0.8kg/hr</b>  <b>With Safety Pressure Relief Valve</b>  <b>Conforms to EN12864 Annex M</b></p>
-----------	--

01 280 06	As Above but without Pressure Gauge
-----------	-------------------------------------

**For the full GOK Marine catalogue, please contact us on 0191 548 5000 or [info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)**



Part No.	Description
01 290 17	<p><b>Low Pressure 90° Regulator with Pressure Gauge</b>  <b>Inlet: KLF. Outlet: G1/4 LH Male</b>  <b>Outlet: 30mbar</b>  <b>Flow Rate: 1.5kg/hr</b>  <b>Over Pressure Safety Device</b>  <b>Conforms to EN 12864 Annex M</b></p>
01 290 07	<p><b>As Above but without Pressure Gauge</b></p>



01 004 02	<p><b>Low Pressure Straight Outlet Regulator</b>  <b>Inlet: GF. Outlet: G1/2 LH Male</b>  <b>Outlet: 30mbar</b>  <b>Flow Rate: 2.5kg/hr</b>  <b>With Safety Pressure Relief Valve</b>  <b>Conforms to EN 12864 Annex M</b></p>
-----------	--



01 114 40	<p><b>Low Pressure Straight Outlet Regulator with Pressure Gauge</b>  <b>Inlet: KLF. Outlet: G1/4 LH Male</b>  <b>Outlet: 30mbar</b>  <b>Flow Rate: 1.5kg/hr</b>  <b>With Safety Pressure Relief Valve</b></p>
01 114 18	<p><b>As Above but without Pressure Gauge</b></p>




Part No.	Description
02 504 01	Adapter KLF x UK POL



09 735 34	Adapter KLF x UK Butane Nut
-----------	-----------------------------



02 700 07	8mm Compression x 8mm Compression Ball Valve
02 700 08	8mm Compression x G 1/4 LH Male Ball Valve
02 700 10	G 1/4 LH Nut x G 1/4 LH Male Ball Valve



07 108 05	Brass 8 M14 x 1.5 Female Coupling Nut
-----------	---------------------------------------



07 171 00	8mm Brass Olive
-----------	-----------------



03 505 00	8mm Brass Blind Plug for Distributor Valve
-----------	--



Part No.	Description
07 602 00	Straight 8mm Comp. x 8mm Compression




07 608 00	Elbow 8mm Comp. x 8mm Compression
-----------	-----------------------------------



07 614 00	Tee 8mm Comp x 8mm Comp. x 8mm Compression
-----------	--



07 880 00	Straight Bulkhead 8mm Comp. x 8mm Compression
-----------	---



07 681 00	Elbow Bulkhead 8mm Comp. x 8mm Compression
-----------	--



02 611 10	<p><b>Leak Tester Kit</b>  <b>Contains: Hand Pump</b>  <b>0-250mbar Pressure Gauge with Limiter</b>  <b>Additional Volume Can 600cm<sup>3</sup></b>  <b>750mm Test Hose ¼" LH x Truma Test Point Union</b>  <b>750mm Test Hose ¼" LH x 8mm Hose(Older Systems)</b>  <b>Plastic Case</b></p>
-----------	---

For the full GOK Marine catalogue, please contact us on 0191 548 5000 or [info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)



Part No.	Description	Gallons	Bag Qty
J25	25litre with Cap	5	6
J25T	25litre with Tap	5	6

25l also available in Blue please ring for price & availability



Part No.	Description	Gallons	Bag Qty
J10	10litre with Cap	2	12
J10T	10litre with Tap	2	12
J5	5litre with Cap	1	25
CAP	60mm DIN Black Cap	N/A	N/A
TAP	Tap	N/A	N/A

Pallet quantities available on all water containers.

These containers are suitable for food contact and meet the requirements of the Food Safety Act

# Containers



Part No.	Description
IBC1	1000 Litre Intermediate Bulk Container 1151mm x 1000mm x 1200mm Comes with a Steel Cage and on a Plastic Pallet



Part No.	Description	Gallons
S20L	20L Steel Jerrycan	4
S10L	10L Steel Jerrycan	2
S5L	5L Steel Jerrycan	1
SFPS	Semi Flexible Pouring Spout	N/A
P5L	5L Plastic Fuel Can	1



Part No.	Description
<b>STRETCH STRECHDIS</b>	<b>Stretch Wrap For Hand Held Dispenser Hand Held Stretch Wrap Dispenser</b>




<b>TAPE TAPEGUN</b>	<b>Packaging Tape Packaging Tape Gun</b>
-------------------------	--



<b>DEW</b>	<b>Documents Enclosed Wallets Size: 125mm x 110mm</b>
------------	---


Packs of 100 each

# Packaging & Stationery



Part No.	Description
MLS	Small Padded Envelopes 150x210mm
MLM	Medium Padded Envelopes 220 x 330mm
MLL	Large Padded Envelopes 300 x 440mm

Packs of 10 each



NONWIN	Envelope Non Windowed 110 x 220mm
WIN	Envelope Windowed 110 x 220mm

Packs of 100 each



A4	500 Sheet Ream of A4 Paper
----	----------------------------





Part No.	Description
GENIE	<p style="text-align: center;"><b>Gas Genie</b>            Clips magnetically to the steel gas cylinder body            Audible alarm &amp; LEDs flash when the gas runs low            Batteries included 2 x AA            No installation required            Comes blister packed for ease of display            Lightweight 127g</p>



REFILL	90 gram Refill Gas Cartridge
--------	------------------------------



PTFE	<p style="text-align: center;"><b>PTFE Gas Sealing Tape. Suitable for LPG and Natural Gas</b>            12mm wide x 5m</p>
------	---



GM1	<p style="text-align: center;"><b>Gas Match</b>            Sold in display boxes of 16</p>
-----	--

# Miscellaneous



**Part No.**

**Description**

<b>POKER</b>	<p style="text-align: center;"><b>Gas Cartridge Poker</b></p> <p>A quick, convenient &amp; reliable way to light your wood fires, wood burning stoves, BBQs and coke or charcoal braziers.</p> <p>Runs off 190g pierceable cartridges (not supplied).</p>
--------------	---



<b>LPKIT</b>	<p style="text-align: center;"><b>Low Pressure Regulator Kit</b></p> <p>Consists of 1 x R157 Propane Regulator attached to 2m High Pressure 8mm Hose &amp; 1 x 8-16mm Screw Clip for attaching to appliance, for use with Boiling Rings, Single &amp; Double Burner Cookers &amp; Site Heaters. R157 can be replaced with either: R104, R701, R800, R801 or R802 regulators.</p>
--------------	--



<b>SPANLD</b>	<b>Lightweight Propane Spanner</b>
---------------	------------------------------------



<b>SPANHD</b>	<b>Heavy Duty Propane Spanner</b>
---------------	-----------------------------------



Part No.	Description
GLD	Gas Leak Detector



LOX	Loxeal LPG Resistant Thread Sealer As used by regulator manufacturers
-----	--



THERMO	90cm Universal Thermocouple
THERMO120	120cm Universal Thermocouple



MMV1	8.5mm Micro Magnetic Valve Suitable for the flame failure valve below
------	---



FFV1	Flame Failure Valve 1/4" MBSP with M10 thermocouple connection Max Pressure: 65 mbar
------	---

## A

Adjustable Regulators **21**  
Asphalt Bucket **36**

## B

Ball Valves **41, 47**  
Big Bore Hose Assemblies **18, 19**  
Bitumen Boilers **35**  
Blow Heater **3**  
Blow Lamp **32, 33**  
Blow Torch **32, 33**  
Boiling Rings **10, 11**  
Boilers, Catering **14**  
Boilers, Tar **35**  
Bottle Clamp Heater **2**  
Bottle, Plastic **5, 13, 49, 50**  
Braided Hose **25**  
Braided Pigtails **13, 17, 18**  
Brass Distributor Valve **44**  
Brass Fittings **40, 41, 42, 43, 47, 48**  
Brass Fittings, Marine **47, 48**  
Bucket **36**  
Bulkhead Marine Regulator **45**  
Burco **14**  
Burners, Catering **10, 11, 12**  
Burners, Roofing **35**  
Burners, Torch Kits **31**  
Butane Regulators **23, 45, 46**

## C

Cabinet Heater **1**  
Cages **37, 38**  
Camping Gas Regulator **23**  
Camping Equipment, Containers **5**  
Camping Equipment, Grills **6**  
Camping Equipment, Lamps **6, 7**  
Camping Equipment, Pokers **8**  
Camping Equipment, Regulator Kits **8**  
Camping Equipment, Spares **6**  
Camping Equipment, Stoves **5, 6, 7**  
Cap **49**  
Caravan Hose, 20 year Life **19**  
Caravan Regulator **20**  
Cartridge, Blow Lamp **32, 33**  
Cartridge, Blow Torch **32, 33**  
Cartridge, Gas **7, 9, 34**  
Cartridge, Lamp **7**  
Cartridge, Poker **8**  
Cartridge, Refill **9, 53**  
Cartridge, Regulator **23**  
Cartridge, Stove **7, 12**  
Cast Iron Boiling Ring **10, 11**

Catering Urn **14**  
Changeover **15, 16**  
Changeover Accessories **16, 17, 18**  
Changeover Upgrade Kit **16**  
Clips **26**  
Clip on Adaptor **24**  
Clip on Regulator **21, 23**  
Compression Fittings **41, 42, 43, 44, 47, 48**  
Containers **5, 13, 49, 50**  
Connector, Straight **26**  
Connector, 'X' & 'Y' **26, 40**  
Cooker, Boiling Ring **10, 11**  
Cooker, Double Burner **5, 6, 11, 12**  
Cooker, Single Burner **5, 12**  
Cooker, Stoves **5, 6, 7, 12**  
Copper Pipe **43**  
Copper Standpipe **18**  
Cylinder, Cages **37, 38**  
Cylinder, Trolleys **38**

## D

Detector, Gas **34, 55**  
Distributor Valve **44**  
Document Wallets **51**  
Double Burner Boiling Ring **11**  
Double Burner Cooker **5, 6, 12**  
Double Burner Cooker With Grill **6, 12**  
Double Eared 'O' Clips **26**  
Double Headed Torch Kit **30, 32**  
Double Sided Griddle Plate **11**  
Double Skinned Tar Boilers **35**  
Double Wall Block **42**

## E

Energy Tank **8**  
Envelope, Non-Window **52**  
Envelope, Padded **52**  
Envelope, Window **52**  
Excess Flow Valve **24**

## F

Flame Failure Valve **55**  
Flashback Arrestor, Oxygen **24**  
Flashback Arrestor, Propane **24**  
Flexible Pouring Spout **50**  
Flint Lighter **34**  
Flint Spares **34**  
Four Headed Torch Kit **30**  
Free Standing Site Heater **2**

## G

Gas Cartridge **7, 9, 34**  
Gas Genie **53**  
Gas Leak Detector **34, 55**  
Gas Match **34, 53**  
Gauges, Pressure **24**  
Glass Globe **6**  
GOK **44, 45, 46, 47, 48**  
Greenhouse Heater **4**  
Griddle Plate **11**  
Grills, Double Burner **6, 12**  
Gun, Shrink **33**  
Gun, Tape **51**

## H

Handles **31**  
Heater, Infra Red **1**  
Heater, Site **2**  
Heater, Space **3**  
Heat Shrink Gun **33**  
Heavy Duty Bucket **36**  
Heavy Duty Spanner **54**  
High Pressure Regulator **21,22**  
Hose **25**  
Hose, Assemblies **8, 13, 17, 18, 19, 34, 44**  
Hose, Clips **26**  
Hose, Connectors **26, 40**  
Hose, Kits **34**  
Hose, Repairers **26**

## I

Infra Red, Cabinet Heater **1**  
Infra Red, Site Heater **2**  
Intermediate Bulk Container **50**

## J

Jerry Cans **50**  
Jointers Single Furnace **35**  
Jubilee Clips **26**

## K

Kemap Gas **9, 34**  
Kemap Torch **33**  
Kits, Low Pressure Regulator **8, 54**  
Kits, Torch **27, 28, 29, 30, 31, 32, 33, 34**

## L

Ladles **35**  
Lamp, Large **6**

Lamp, Cartridge **7**  
Leak Detector **34, 55**  
Leak Tester Kit **48**  
Light Weight Spanner **54**  
Low Pressure Hose **25**  
Low Pressure Regulator **20, 21, 23, 45, 46**  
Loxeal **55**

## M

M20 Swivel Nut Elbow **42**  
Mantles **6**  
Manual Changeover **16**  
Marine **44, 45, 46, 47, 48**  
Meter Box **19**  
Meter Box Strut Post **19**  
Micro Magnetic Valve **55**

## N

Narrow Spout Pouring Cans **36**  
Neck Tube **31**  
Nut & Tails **24, 40, 43**

## O

'O' Clips **26**  
OPSO Changeovers **16**  
Overbraided Hose **25**  
Overbraided Pigtails **13, 17, 18**  
Oxygen Flashback **24**

## P

Packaging Tape **51**  
Packaging Tape Gun **51**  
Padded Envelopes **52**  
Paper **52**  
Phoenix, Cabinet Heater **1**  
Pierceable Cartridge **7, 9, 34**  
Pierceable Cartridge, Blow Torch **32**  
Pierceable Cartridge, Lamp **7**  
Pierceable Cartridge, Stove **7**  
Piezo Ignition, Blow Torch **32, 33**  
Piezo Ignition, Boiling Ring **10**  
Piezo Ignition, Site Heater **2**  
Piezo Ignition, Torch Kit **32**  
Pigtails **17, 18, 19, 44**  
Pigtails, Marine **44**  
Plumbers Torch Kit **29, 32, 33**  
Poker **8, 54**  
POL Extended Manifold **40**  
Portable Energy Tank **8**

Pressure Gauge **24**  
Professional Torch Kit **28, 29, 30, 32, 33**  
Propane Flashback Arrestor **24**  
Propane Regulators **20, 21, 22, 45, 46**  
Propane Spanner **54**  
PTFE Tape **53**  
Push On Cartridge **7, 9**

## Q

Quick Release Coupling **26**  
Quick Release Pigtail **13, 17**

## R

Radiant Cabinet Heater **1**  
Refill Gas Cartridge **9, 53**  
Regulators **20, 21, 22, 23, 45, 46**  
Replacement Glass Globes **6**  
Replacement Soft Mantles **6**  
Roofing Torches **28, 29, 30, 32**

## S

Safety Signs **39**  
Screw On Cartridge **7, 9, 34**  
Screw On Cartridge, Blow Torch **32, 33**  
Screw On Cartridge, Lamp **7**  
Screw On Cartridge, Stove **7, 12**  
Semi Flexible Pouring Spout **50**  
Shrink Heat Gun **33**  
Single Burner Cooker **5, 12**  
Single Head Torch Kit **28, 29, 32**  
Single Skinned Tar Boiler **35**  
Single Wall Block **42**  
Site Heaters **2**  
Space Heaters **3**  
Spanner, Heavy Duty **54**  
Spanner, Light Duty **54**  
Stand **15, 31**  
Steel Jerry Cans **50**  
Stove, Large **6, 12**  
Stove, Pierceable **7, 12**  
Stove, Screw On **7, 12**  
Straight Hose Repairer **26**  
Stretch Wrap **51**  
Stretch Wrap Dispenser **51**

## T

Tank **8**  
Tap, Boiling Ring **11**  
Tap, Container **49**

Tap, Tar Boiler **35**  
Tape **51**  
Tape Gun **51**  
Tar Boilers **35**  
Tar Boiler Burners **35**  
Test Point Union Ball Valve **41**  
Three Headed Torch Kit **30**  
Three Pronged Fork **31**  
Thermocouples **11, 55**  
Torch Kit **28, 29, 30, 31, 32, 33**  
Torch Kit Stand **31**  
Triple Burner Boiling Ring **10**  
Tripod Boiling Ring **10**  
Trolley **38**  
Turbo Torch Kit **33**  
Two Headed Torch Kit **30, 32**  
Two Pronged Folk **31**

## U

Unistrut Post **19**  
Universal Thermocouple **11, 55**  
Upgrade Kit, Changeover **16**

## V

V Lip Bucket **36**

## W

Wall Block **42**  
Water Boilers, Burco **14**  
Water Container **5, 13, 49, 50**  
Welding Kit **33**  
Window Envelopes **52**

## X

'X' Hose Connector **26, 40**

## Y

'Y' Hose Connector **26, 40**

## Z

## **TERMS & CONDITIONS**

These terms and conditions shall govern all contracts entered into by Intergas UK Ltd of 7E Riverside Road, Riverside Industrial Estate, Southwick, Sunderland, (the Company) for the supply and sale of goods and materials. Any variation or addition to the terms and conditions inconsistent therewith in any document of the buyer or which the buyer might seek to impose on the Company is inapplicable unless accepted in writing by the Company.

Any tender or offer quotation or other information sent or provided or made available by the company or by any of its representatives to the buyer shall have no contractual effect and shall not be binding on the Company, unless specifically confirmed in writing by the company.

In the event of damages the buyer must notify the Company on the day of receipt, as carriers generally will not accept claims after the expiration of that period.

Any time or date of delivery named by the Company or its representatives is an estimate only and the Company shall not be liable for the consequences of any delay and delay will not entitle the buyer to claim damages and/or repudiate the agreement.

Goods presented by the buyer to be defective shall not form the subject of any claim for work done or for any loss or damage or expense whatsoever arising directly or indirectly from such defects. Such goods if returned to the Company at the expense of the buyer and provided the complaint has been received by the Company within 14 days from the date of delivery and accepted by the Company as defective, will at the opinion of the Company be repaired or replaced by goods as nearly similar to the goods originally ordered. No defect or damage suffered by the buyer shall be a ground for cancellation of the remainder of the order or contract or for repudiation of the contract.

Complaints shall not entitle the buyer to suspend payment of any invoice rendered by the Company. Invoices rendered by the Company shall be paid promptly in the agreed date(s) without any deduction except agreed to in writing by the company.

All invoices shall be paid within 30 days of the date thereof by payment in the currency expressed therein, the Company shall be entitled to charge interest at the rate of 1.5% for every month or of part month over an amount of which payment is overdue. The buyer shall pay the Company, the Company's costs and expenses incurred in collecting the debt of the buyer to the Company even if such costs and expenses do not qualify as legal costs.

Deliveries may be wholly or partly suspended and the time of such suspension added to the original contract in the event of a stoppage, delay or interruption as a result in strikes, lock out, trade disputes, delay or interruption in supplies to the Company, acts of state and God, breakdown, accident or any cause whatsoever beyond the control of the Company.

Under the provisions of section 19 the Sale of Goods Act 1979, the seller reserves the right of Title to the goods which are the subject matter of each contract until it has been paid in full or until monies owing have been paid in full by the buyer.

Should the goods be sold by the buyer before the above condition regarding payment has been met, the Seller's interest shall attach the proceeds of such resale, whether received or receivable, without prejudice to any further claim that the Seller may have against the Buyer under this contract. For the purpose of identifying similar goods supplied on several contracts, it is assumed that they have been sold in strict date rotation.

The goods shall be at the Buyers risk from the time of delivery to the buyer or to any carrier or agent acting on his behalf.

Notwithstanding delivery and the passing of risk, property in and title to the goods shall remain with the seller until the seller has received payment of the full price of all Goods the subject of the Contract and all other goods supplied by the seller to the buyer under any contract whatsoever. Payment of the full price shall include, without limitation, the amount of any interest or other sum payable under the terms of this and all other contracts between the seller and the buyer

The terms of each contract, do not entitle the Buyer to return the goods, or refuse or delay payment on them, on the grounds that the property in them has not passed to the Buyer.

If the Buyer shall make default on or commit a breach of contract or of any other of his obligations to the Company or if any distress shall be levied upon the buyers property or assets or if buyer shall make or offer to make an arrangement or composition with creditors or commit any act of bankruptcy or if any petition or receiving order in bankruptcy shall be presented or made against him or if the buyer is a company and a resolution or petition to wind up such Company's business (other than for the purpose amalgamation or reconstruction) shall be passed or represented, or if a receiver of such Company's undertaking property or assets or any part thereof shall be appointed, the Company shall have the right forthwith to determine any contract the submitting and upon written notice of such determination being posted to the Buyer's last known address any subsisting contracts as will be set out in the notice shall be deemed to have been determined without prejudice, to any claim or right the Company may otherwise make in exercise.

Any dispute under the contract shall be referred exclusively to the Courts of Sunderland. These conditions and the contract shall be subject to and construed in accordance with English Law.

## **Returns Policy**

### **Returned Goods**

Goods that have been correctly supplied and are returned for credit will only be accepted at Intergas UK Ltd's discretion. Goods accepted will only be credited less 15% handling charge and less carriage. All items must be in a re-saleable condition and their original packs.

Any goods specially ordered, manufactured or supplied to a customers specifications, cannot be accepted for return.

Any goods, which you return will be returned at your own risk.

When returning goods, Intergas UK Ltd require the reason for return and the relating invoice details. Failure to provide these details may delay or even prevent the appropriate credit being issued.

### **Damaged Goods**

All goods must be checked upon delivery. Should any product be found damaged the buyer must contact Intergas UK Ltd within 3 days of delivery. This is to enable Intergas UK Ltd to process the complaint with the carrier service. Any damage claims outside of this time frame will not be honoured due to the carrier's own terms and conditions.

### **Faulty Goods**

Intergas UK Ltd provides 1 years warranty from date of manufacture. Should a fault arise within this date, full details of what the fault is must be provided to Intergas UK Ltd. Should the goods be found to not be faulty, carriage for the collection and re-delivery will be charged.

Complaints shall not entitle the buyer to suspend payment of any invoice rendered by the Company. Invoices rendered by the Company shall be paid promptly in the agreed date(s) without any deduction except agreed to in writing by the Company.



# **INTERGAS UK**

7E Riverside Road

Riverside Industrial Estate

Southwick

Sunderland

SR5 3JG

Tel: (0191) 548 5000

Fax: (0191) 548 5100

E-mail: [info@intergasuk.co.uk](mailto:info@intergasuk.co.uk)

Web: [www.intergasuk.co.uk](http://www.intergasuk.co.uk)