07.01.01 Network Server Cabinets (EM-S)





IBS-EM-S6618FB WEW 600x600x18U

LIST PRICE 954Dhs/\$260

- Colour Black
- 18u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and single equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and ETS Standards
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly



IBS-EM-S6622FB
WEW 600x600x22U

LIST PRICE 1023Dhs/\$279

- Colour Black
- 22u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and single equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and ETS Standards
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly



- 22u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and single equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and ETS Standards
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly



IBS-EM-S6122FB
WEW 600x1000x22U
LIST PRICE
1259Dhs/\$342







07.01.02 Network Server Cabinets (EM-S)





IBS-EM-S6627FB **NEW 600x600x27U**

LIST PRICE

1130Dhs/\$308

- Colour Black
- 27u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and single equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and **ETS Standards**
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly
- Colour Black
- 27u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and single equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and **ETS Standards**
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly
- LIST PRICE 1476Dhs/\$401
- Colour Black
- 32u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and single equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and **ETS Standards**
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly



IBS-EM-S6127FB 600x1000x27U



IBS-EM-S6632FB 600x600x32U

LIST PRICE

1273Dhs/\$347

engineering







07.01.03 Network Server Cabinets (EM-S)





IBS-EM-S6637FB 600x600x37U

LIST PRICE

1418Dhs/\$386

- Colour Black
- 37u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and x3 equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and ETS Standards
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly



IBS-EM-S6642FB 600x600x42U

LIST PRICE

1460Dhs/\$397

- Colour Black
- 42u Rack 'U height
- Built in forced cooling [x2 Fans], 2u UK 6way power distribution panel and x3 equipment shelf included as standard
- 5mm tempered glass front door with ventilated edges and MS818 Lock
- Ventilated Rear Door >65% area
- Fully complies with 19" international, Matric and ETS Standards
- Solid static loading capacity of 1000 KG
- 50mm castor and adjustable feet packs included
- Optional client logo screen-printing on front door and packaging *
- Supplied flat pack for self-assembly

engineering

Constant of the control of the control





