



**NATURAL STONE TILES & PAVING**  
MODERN, CONTEMPORARY & TRADITIONAL



DT Stone has been importing and stocking stone from around the world since 1920. Over that time, several generations in our family business have been sourcing particular products suited to our customers needs.

We stock tiles and paving to suit architects, contractors, developers and home builders for small, medium and large projects.

We have stone for internal and external use and have over 90 years of experience in providing materials at competitive prices.

We pay a great deal of attention to quality. Our company is registered to ISO 9001 and all our products are controlled by a carefully developed quality control system.

Andrew Allwood (Managing Director)

# CONTENTS



4	Sustainable Quality	42	Exterior Travertine
5	Stone finishes	44	Exterior Sandstone
6	Interior Limestone	54	Walling Stone
20	Interior Sandstone	55	Edgers and Setts
23	Interior Travertine	56	Installation and Maintenance
31	Mosaïcs	57	Delivery
34	Exterior Slate	58	The team
37	Exterior Limestone	59	Samples

# SUSTAINABLE QUALITY



As a company with customers and suppliers worldwide we realise the importance of a responsible business framework which is conducted in a straightforward, open way.

- We care for the environment and its improvement
- We care for the way we do business
- We care that our supply chain shares our values
- We care to do business in an ethical way

Customers like to do business with us because we care for the people we work with.



DOWNLOAD OUR CSR POLICY:  
<http://bit.ly/dtstone-csr-policy>

## FINISHES



### TUMBLED & UNFILLED

Travertine floor tiles are characterised by surface pits and holes. These are not filled and the stone is tumbled to create an authentic antique appearance.



### BRUSHED

By circular brushing motions, a stunning rustic look is created giving a slight surface texture with a satin matt, aged finish.



### POLISHED

Where the stone is worked to achieve a high reflective, glossy finish which is particularly suitable for internal use.



### RIVEN

A naturally cleft or riven face is simply achieved by splitting blocks of stone. This term usually relates to slate or sandstone and is designed to give a rustic appearance.



### TUMBLED

To create an authentic antique appearance, the stone undergoes several processes to produce the final finish, where the stone is subtly aged by a tumbling action with pebbles.



### HONED & FILLED

Travertine floor tiles are characterised by surface pits and holes, These are pre-filled at source by a stone resin which is as similar as possible to the colour of the stone. The stone is then run through a machine to give a smooth and non-reflective finish, which helps to highlight the natural markings.



Heligon honed limestone

## LIMESTONE TILES

Limestone has been used for centuries as it is an elegant stone and works well in classical and contemporary designs.

Limestone is a sedimentary rock made up of layers of calcium carbonate formed from the accumulation of organic matter in shallow seas, which is then turned to stone by millions of years of pressure. It comes in a variety of density and hardness making it an extremely hard wearing and durable material.

## HELIGON HONED



Heligon Limestone is a beautiful natural stone tile with character and wonderful veining with a smooth honed finish. It can be used on floors or walls and can be used to achieve a contemporary finish.

Sizes	610 x 406 mm 406 x 406 mm
Thickness	12 mm
Finish	Honed
Usage	Interior, suitable for commercial use and underfloor heating

## HELIGON ANTIQUED




Sizes	610 x 406 mm 406 x 406 mm	406 x 200 mm 200 x 200 mm
Thickness	12 mm	
Finish	Tumbled	
Usage	Interior, suitable for commercial use and underfloor heating	

Heligon Limestone comes from the Eastern Mediterranean. The antique finish is particularly popular in traditional settings.



## HELIGON BRUSHED



Heligon Limestone comes from the Eastern Mediterranean. The brushed finish gives a rich and smooth texture which is very easy to maintain.

Size	610 x 406 mm
Thickness	12 mm
Finish	Brushed
Usage	Interior, suitable for commercial use and underfloor heating

## HONEY ANTIQUED



Sizes	600 x 600 mm 600 x 400 mm
Thickness	20 mm
Finish	Tumbled and Brushed
Usage	Interior or exterior, suitable for commercial use and underfloor heating

Honey Antiqued Limestone flagstones are durable, stylish and ideal in any traditional setting.

## LANHERNE ANTIQUED



Lanherne flooring is a full-cream coloured limestone with interesting tints and a wonderfully textured finish.

Sizes	900 x 600 mm 600 x 600 mm	600 x 400 mm 400 x 400 mm
Thickness	20 mm	
Finish	Tumbled with tumbled edges	
Usage	Interior, suitable for commercial use and underfloor heating	

## TREMAYNE BRUSHED



Sizes	610 x 406 mm
Thickness	12 mm
Finish	Brushed with straight edges
Usage	Interior, suitable for commercial use and underfloor heating

Tremayne limestone has rich neutral colours and often many different fossils on the surface. With a brushed finish that gives a soft texture.

## TREMAYNE ANTIQUED



Natural quartz veins and light fossilisation within the stone gives an exceptional look to this premium quality limestone.

Sizes	610 x 406 mm 406 x 406 mm	406 x 200 mm 200 x 200 mm
Thickness	12 mm	
Finish	Tumbled	
Usage	Interior, suitable for commercial use and underfloor heating	

## TREMAYNE HONED



Sizes	610 x 406 mm
Thickness	12 mm
Finish	Honed
Usage	Interior, suitable for commercial use and underfloor heating

Tremayne limestone has rich neutral colours and often many different fossils on the surface. The honed finish gives the tile a subtle matt gleam.


## TYDALE ANTIQUED



Tydale Limestone floor tiles are a wonderfully textured and finished natural flagstone. Their earthy colourings make them ideal for a traditional country setting.

Sizes	600 x 400 mm
Thickness	20 mm
Finish	Tumbled and semi-honed
Usage	Interior, suitable for commercial use and underfloor heating

## CHARCOAL GREY



Sizes	1000 x 1000 mm 1500 x 500 mm	900 x 600 mm 600 x 600 mm
Thickness	30 mm	22 mm
Finish	Riven	
Usage	Interior use only	

Charcoal Grey riven Limestone slabs are a consistent medium grey in colour with a lovely texture.



# CAPRI



Sophisticated polished limestone, with soft tones of grey and brown with beautiful veining, some with sparkling quartz particles.

Size	600 x 300 mm
Thickness	20 mm
Finish	Polished
Usage	Interior; suitable for walls and floors



Size	600 x 300 mm
Thickness	20 mm
Finish	Polished
Usage	Interior; suitable for walls and floors

A polished limestone of light and dark caramel colours. It's rich veining adds stunning character.



ASSISI



PARMA



PARMA



ASSISI

These chic polished limestones with grey to brown tones have lovely veining adding elegant individual character.

Size	600 x 300 mm
Thickness	20 mm
Finish	Polished
Usage	Interior; suitable for walls and floors



Ivory Mint antiqued sandstone

## SANDSTONE TILES

Sandstone is versatile sedimentary rock that is formed by the cementing together of sand sized grains forming a solid rock and is therefore porous. It is a very stable product, mostly resistant to weathering, yet easy to work and cost effective.

Sandstone comes in many colours but the most common colours are tan, brown, yellow, red and grey. There is often a variation in colour from slab to slab which is part of the warm character of the stone.

## IVORY MINT SAWN EDGE



Sizes	900 x 600 mm 600 x 600 mm	600 x 400 mm 400 x 400 mm
Thickness	20 mm	
Finish	Honed with sawn edges	
Usage	Interior and exterior; suitable for commercial use and underfloor heating	

Ivory Mint smooth sandstone flooring tiles are a gentle, smooth, sophisticated sandstone with delicate shades.

## IVORY MINT ANTIQUED



Ivory Mint smooth sandstone flooring with an antiqued finish give a timeless classic appearance.

Size	900 x 600 mm 600 x 600 mm	600 x 400 mm 400 x 400 mm
Thickness	20 mm	
Finish	Honed and Tumbled	
Usage	Interior and exterior; suitable for commercial use and underfloor heating	



Classic Aegean honed & filled travertine

## TRAVERTINE TILES

Travertine is a banded, compact variety of limestone formed along streams, particularly where there are waterfalls and around hot or cold springs.

It is a very strong stone, which when cut into tiles exposes the small holes on the surface. These holes can be left unfilled to leave a natural texture or they are filled in the factory with a very hard resin and honed to give a smooth and shiny finish.

## IONIAN ANTIQUED




Ionian travertine tiles are a premium product and have pale, subtle colours revealed by the antiqued finish which produces a natural rustic effect.

Sizes	610 x 406 mm 406 x 406 mm
Thickness	12 mm
Finish	Tumbled
Usage	Interior, suitable for commercial use and underfloor heating




## IONIAN HONED & FILLED



Sizes	610 x 406 mm 406 x 406 mm
Thickness	12 mm
Finish	Honed and filled
Usage	Interior, suitable for commercial use and underfloor heating

Ionian travertine is a premium product and has pale, subtle colours giving a contemporary look to your home. The honed finish gives a soft sheen and is easy to maintain.

## SILVER BRUSHED



A rich colour blend of silver and grey with distinctive shades of warm beige/cream tones. A smooth brushed finish and naturally occurring surface pits offer texture and interest.

Sizes	610 x 406 mm
Thickness	12 mm
Finish	Brushed
Usage	Interior, suitable for commercial use and underfloor heating

SILVER ANTIQUED



Size	610 x 406 mm
Thickness	12 mm
Finish	Tumbled
Usage	Interior, suitable for commercial use and underfloor heating

A rich colour blend of silver and grey with distinctive shades of warm beige/cream tones. A smooth tumbled finish and naturally occurring surface pits offer texture and traditional style to your home.

CLASSIC AEGEAN  
HONED & FILLED



Classic Aegean is a good quality, budget travertine with a subtle range of colours and tones from pale beige to warm walnut.

Sizes	610 x 406 mm 406 x 406 mm
Thickness	12 mm
Finish	Honed and Filled
Usage	Interior, suitable for commercial use and underfloor heating

CLASSIC AEGEAN  
BRUSHED



Classic Aegean is a good quality, budget travertine with a subtle range of colours and tones from pale beige to warm walnut.

0.72 m <sup>2</sup> mixed pattern set	1 x 600 x 400 mm 2 x 400 x 400 mm	1 x 400 x 200 mm 2 x 200 x 200 mm
Thickness	12 mm	
Finish	Brushed	
Usage	Interior, suitable for commercial use and underfloor heating	

## SUEDE BRUSHED



Size	610 x 406 mm 406 x 406 mm
Thickness	12 mm
Finish	Brushed and sawn edge
Usage	Interior, suitable for commercial use and underfloor heating


Suede Travertine tiles have a rich cream and chestnut infused colouring and are suitable for contemporary or traditional occasions.



**MOSAICS** Mosaic tiles are perfect for use in intricate flooring or wall coverings and are an easy way to create coordinated borders or additional detail to your tiling. Mosaics are ideal for brightening up or adding a decorative touch to bathrooms and kitchens.

DT Stone have a large selection of colours, shades and textures to choose from, with something to complement any style of interior.

## TRAVERTINE



Supplied in sheets of 300 x 300 mm and glued on a fabric mesh backing for easy fitting.

Colours	Ivory or Walnut
Sizes	48 x 48 mm 23 x 23 mm
Thickness	10 mm
Finish	Tumbled
Usage	Interior, suitable for commercial use and underfloor heating



## HELIGON LIMESTONE



Sizes	48 x 48 mm 23 x 23 mm
Thickness	10 mm
Finish	Tumbled
Usage	Interior, suitable for commercial use and underfloor heating

Supplied in sheets of 300 x 300 mm and glued on a fabric mesh backing for easy fitting.



Blue Crag slate

## SLATE PAVING

Natural slate is extremely durable and is an excellent natural paving stone. Slate comes in a wide variety of colours and textures and is non-porous. This makes it very resistant to frost damage and breakage due to freezing.

Slate naturally has a riven surface, where the stone splits due to a natural cleavage. This textured surface is great for grip.

## AUTUMN GREY



17.50 m <sup>2</sup> project pack	28 pieces of 600 x 600 mm 28 pieces of 600 x 295 mm 28 pieces of 295 x 295 mm
Thickness	22 mm
Finish	Riven top surface with sawn edges
Usage	Exterior patio and garden paving

Autumn Grey paving is a subtle grey slate with a hint of autumn colours.

## BLUE CRAG



Blue Crag Slate is an even-coloured, stylish slate with dark blue and grey tones.

17.50 m <sup>2</sup> project pack	28 pieces of 600 x 600 mm 28 pieces of 600 x 295 mm 28 pieces of 295 x 295 mm
Thickness	22 mm
Finish	Riven top surface with sawn edges
Usage	Exterior patio and garden paving



Solent limestone

## LIMESTONE PAVING

Limestone is a porous sedimentary rock made up of layers of calcium carbonate formed from the accumulation of organic matter in shallow seas, which is then turned to stone by millions of years of pressure. Limestone is an extremely hard wearing and durable paving stone.

# HONEY



Honey Limestone is a strong and popular flagstone that is durable and stylish.

17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 295 mm 11 pieces of 295 x 295 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving

# HONEY ANTIQUED



17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 295 mm 11 pieces of 295 x 295 mm
Thickness	22 mm
Finish	Tumbled with hand-cut edges
Usage	Exterior patio and garden paving

Honey Limestone is a strong and popular flagstone that is durable and stylish.

## SOLENT



Solent Limestone is light in colour with a hint of green which becomes more pronounced when wet.

17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 295 mm 11 pieces of 295 x 295 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving



## TYDALE ANTIQUED



17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 295 mm 11 pieces of 295 x 295 mm
Thickness	22 mm
Finish	Tumbled with hand-cut edges
Usage	Exterior patio and garden paving

Tydale is a light, rustic limestone with patches of ochre and honey colouring.



**Ionian antiqued travertine**

## TRAVERTINE PAVING

Travertine is a banded, compact variety of limestone formed along streams, particularly where there are waterfalls and around hot or cold springs. It is a sedimentary rock, which is made up of layers of calcite formed from the accumulation of organic matter.

It caters for both traditional or contemporary looks and make an ideal stone for patios or swimming pools. Our travertine patio slabs are tumbled and unfilled, providing a more rustic feel to an outdoor space.

## IONIAN ANTIQUED



16.20 m <sup>2</sup> project pack	10 pieces of 600 x 900 mm 20 pieces of 600 x 600 mm 10 pieces of 600 x 300 mm 20 pieces of 300 x 300 mm
Thickness	30 mm
Finish	Tumbled with straight edges
Usage	Exterior patio and garden paving

Ionian travertine has pale, subtle colours and gives a contemporary look to your home.



Fawn Beige antiqued sandstone

## SANDSTONE PAVING

Sandstone paving is ideal for your patio and garden as it is hard-wearing, weathers well, is inexpensive and easy to lay. Sandstone is a very stable product and one of the best suited natural stones for use on patios and other landscaping projects.

Sandstone is a porous material and comes in a variety of colours, from white to red and brown, and is composed essentially of cemented grains of sand.


## IVORY MINT CHIPPED EDGE



Sizes	900 x 600 mm 600 x 600 mm	600 x 295 mm 295 x 295 mm
Thickness	20 mm	
Finish	Honed with chipped edges	
Usage	Interior and exterior	

Ivory Mint smooth sandstone slabs are a gentle, smooth, sophisticated sandstone with delicate shades.

# MINT



Mint sandstone paving has a soft and warm feel, with a mixture of light shades they are one of the most popular choices.

17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving

DOVE GREY



17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving

Dove Grey paving has a cool, even light grey colour when dry which turns into a deep mid-grey when wet.

## DOVE GREY ANTIQUED



This stone has the same colouring as the riven Dove Grey but has an aged finish to it, giving more rounded edges.

17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Tumbled
Usage	Exterior patio and garden paving



## FAWN BEIGE



17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving

Fawn beige paving stones are warm coloured and excellent in rustic settings.

## FAWN BEIGE ANTIQUED



This stone has the same colouring as the riven Fawn Beige but has an aged finish to it, giving more rounded edges.

17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Tumbled
Usage	Exterior patio and garden paving

FAWN BEIGE  
SHOTBLASTED



Sizes	900 x 600 mm 600 x 600 mm
Thickness	20 mm
Finish	Shotblasted with straight edges
Usage	Interior use and Exterior patio and garden paving

Fawn Beige shot blasted slabs have a levelled and textured finish with straight edges, the colouring is shades of beige.

## MOSS GREEN



Moss Green paving stones are a mixture of similar colours giving a York Stone appearance.

17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving

MOSS GREEN ANTIQUED



17.45 m <sup>2</sup> project pack	16 pieces of 900 x 600 mm 11 pieces of 600 x 600 mm 22 pieces of 600 x 290 mm 11 pieces of 290 x 290 mm
Thickness	22 mm
Finish	Riven surface with hand-cut edges
Usage	Exterior patio and garden paving

This stone has the same colouring as the riven Moss Green but has an aged finish to it, giving more rounded edges.

## WALLING



Colours	Mint, Buff, Moss Green
Sizes	215 x 100 mm and 290 x 100 mm
Thickness	40 - 70 mm
Finish	Tumbled

## WALLING

Our Walling stones are solid sandstone and an ideal partner to your patio or any garden feature creating a rustic, natural and hand-finished style. They are supplied in 215 x 100 mm and 290 x 100 mm in Mint, Buff and Moss Green colours.



## EDGERS

Edging stones finish off a patio or garden path, emphasising different areas or making borders. These are supplied in 100 x 100mm in Fawn Beige, Mint, Moss Green and Dove Grey.

## RUSTIC SETTS

Sandstone and granite setts work well for a driveway or garden path. They are 100 x 100 mm and 200 x 100 mm supplied per square metre and have been tumbled to soften the edges.

## INSTALLATION AND MAINTENANCE



### ADHESIVES, GROUTS, SEALANTS, CLEANERS . . . . .

We have a wide range of top quality products that can be used during the installation and for maintenance of your project. We stock Ultra Tile adhesives and grouts and Lithofin sealants and cleaners.

The adhesive range can fix tiles to the majority of building substrates. Our cleaners and sealants are suitable for all natural stones, whether internal or external and will protect and maintain your flooring or paving.



DOWNLOAD OUR FREE LAYING PATTERNS  
<http://bit.ly/dtstone-patterns>



## DELIVERY



### 3 - DAY DELIVERY NATIONWIDE, BY TAIL-LIFT OR CRANE . . . . .

We use a fast and reliable 3-5 day service by national carrier. Kerbside delivery only by tail lift lorry. The driver uses a hand-operated pallet truck and will endeavour to get your order as close as is safely possible to your property. Should you require a specialist dedicated delivery vehicle with a crane, it's no problem to organise it for you.

You can opt for a timed delivery or a Saturday morning delivery at extra cost. Once you have placed your order the goods are normally dispatched within three working days.

*“ I just wanted to say that the slate paving has just arrived. I must let you know how brilliant the driver was and he went above and beyond to get the pallet onto our driveway. Many thanks. ”*  
*Sally Williams*



SEE ALL OUR TESTIMONIALS  
[www.dtstone.co.uk/feedback-page.html](http://www.dtstone.co.uk/feedback-page.html)

## SERVICE WITH A SMILE



### QUALITY PRODUCTS AND A FRIENDLY SERVICE IS OUR MISSION!

*“ We would like to thank you for all the help and advice given also the efficient and prompt attention at all times during the transaction. We are very happy with the overall effect, and have received many compliments, which are partly down to you folks who were always on hand to help and offer advice when it was required. ”*  
*John and Freddie.*

CONNECT WITH US



DT Stone, Rockbourne Road, Fordingbridge, Hampshire SP6 1RA  
01425 654011 / office@dtstone.co.uk  
www.dtstone.co.uk

# NATURAL STONE FOR THE HOME



## SAMPLES

Our stone is natural, cut in quarries from around the world and there will always be a degree of variation in colour, fossils, mineral markings and surface veining, which is part of the beauty of natural stone. We provide free samples to help you make your choice.

Colours and appearance will vary from batch to batch. We strongly recommend that you over order by up to 10% to allow for cutting & fitting and you will have some spares in case of any changes you may make during and after laying.

Choosing stone is often a big decision which can be confusing. We are here to help you make the right choice so please talk to us or visit our showroom.



## BEFORE YOU ORDER

We try to reproduce colours as accurately as possible but due to the limits of photography and printing, and variations in computer screen calibration the images are intended as a guide only.

To help you to choose the right stone please either visit our showroom or order a sample.



WE ARE HERE

SALISBURY

Rockbourne

dtstone.co.uk

Sandleheath

Fordingbridge

B3078

RINGWOOD

A338

A338

**dtstone**.co.uk  
natural stone for the home



DT Stone  
Rockbourne Road  
Fordingbridge  
Hampshire, SP6 1RA  
United Kingdom  
Tel: 01425 654011  
email: [office@dtstone.co.uk](mailto:office@dtstone.co.uk)  
[www.dtstone.co.uk](http://www.dtstone.co.uk)