

# *Trade Price List*

*Valid from April 2012*

**Tel: 0845 2268283 (local rate) or 01387 270252**

**Email: [info@kosteruk.com](mailto:info@kosteruk.com)**

**[www.kosterwaterproofing.com](http://www.kosterwaterproofing.com)**



1 Liquid Bitumens, Reinforced Bitumen, Thick Film Sealants						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
1.01	C KÖSTER Bitumen Primer	45 x 10 litre	150 - 200 ml/m <sup>2</sup>	10 litre	£55.00	Brush or spray applied, dust binding, solvent based bitumen primer. Also suitable for priming old bitumen
1.09	C KÖSTER Bitumen Emulsion	18 x 30 kg	0.2 - 0.3 kg/m <sup>2</sup> per coat	30kg	£110.00	Solvent-free, low viscosity bitumen emulsion with excellent adhesive qualities.
1.10	C KÖSTER BS 1	75 x 5 litre	appr. 1 litres/m <sup>2</sup> per mm thickness	5 litre	£32.00	Fibrated bitumen filling compound. For repair & waterproofing works, also suitable for filling of self adhesive KOSTER sealing membrane ends.
1.12	B KÖSTER CFR 1	33 x 23 kg	1kg/m <sup>2</sup> per mm thickness	23 kg	£122.00	Highly flexible hot-melt material, bitumen / rubber based and up to 50 bar resistant to hydrostatic pressure.
1.13	B KÖSTER KBE Liquid Film	24 x 24 kg 100 x 6 kg	1.0 - 2.5 kg/m <sup>2</sup>	24 kg 6 kg	£130.00 £35.00	Solvent free, highly flexible rubber / bitumen sealant for high grade sealing of ground touching construction parts.
1.16	B KÖSTER Deuxan® 2C Extratight	18 x 32 kg	4 - 6 kg/m <sup>2</sup>	24 kg liquid 8 kg powder	£100.00	2-component, flexible, plastic modified, fibrated bitumen thick film sealant, according to DIN 18195.
2 Concrete and Mortar Additives						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
2.09	A KÖSTER Mortar Sealing Liquid	60 x 10 kg	3 kg / 100 litre mix water	10 kg	£39.50	Liquid, plasticizing, highly effective water repellant concentrate for cement mortar and lime mortar.
2.11	C KÖSTER SB Bonding Emulsion "Concentrate"	60 x 5 kg	5 - 30 kg / 100 litre mix water	5 kg	£46.00	SBR dispersion, modifying mortars and elastifying Sealing Slurries
2.131	B KÖSTER BDM	1000kg	2% Mass of cement content	1000kg	£7,700.00	Crystallising, Chloride Free integral waterproofing for concrete elements.
3 Waterproofing Systems for Sealing of Pressurised and Non-Pressurised Water,Horizontal Water Barriers, Anti-Mould-System						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
3.011	B KÖSTER KD1 Base	36 x 15 kg	1.5 - 2.5 kg/m <sup>2</sup>	15 kg	£75.00	Fast setting, mineral sealing slurry with high resistance to aggressive ground moisture and pressurised water.
3.012	B KÖSTER KD2 Blitz	36 x 15 kg	1 - 2 kg/m <sup>2</sup>	15 kg	£92.00	Highly reactive powder with extremely short setting time. Seals active leaks in seconds.
3.013	B KÖSTER KD3 Sealer	100 x 6 kg	0.5 kg/m <sup>2</sup>	6 kg	£44.00	Water-thin, pore filling silicifying liquid for surface sealing.
3.019	B KÖSTER KD System	108 packs		2.5 kg pack with 1.0 kg KD 1 1.0 kg KD 2 0.5 kg KD 3	£26.00	Negative side waterproofing system for sealing off pressurised water.

3 Waterproofing Systems for Sealing of Pressurised and Non-Pressurised Water, Horizontal Water Barriers, Anti-Mould-System						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
3.021	B KÖSTER NB 1 Grey	42 x 25 kg	1.5 - 4.0 kg/m <sup>2</sup>	25 kg	£49.00	Crystallizing, mineral sealing slurry, resistant to hydrostatic pressure (>130m water head). Approved for use in potable water environment.
		36 x 15 kg		15 kg	£39.50	
3.022	B KÖSTER NB 2 White	42 x 25 kg	3 - 5 kg/m <sup>2</sup>	25 kg	£65.00	Mineral, white sealing slurry with high pressure- and abrasion resistance and resistant to hydrostatic pressure.
3.023	B KÖSTER NB 1 "fast"	42 x 25 kg	1.5 - 4.0 kg/m <sup>2</sup>	25 kg	£92.00	Fast setting sealing slurry with in-depth crystallizing properties for waterproofing from positive and negative side on masonry and concrete.
3.025	B KÖSTER Restoration Slurry	42 x 25 kg	2.0 - 4.0 kg/m <sup>2</sup>	25 kg	£72.00	Mineral surface sealant for coating of sulphate affected walls and floors and for the protection from sulphate containing ground water.
3.030	C KÖSTER 21	40 x 25kg	2 kg/m <sup>2</sup>	10kg powder 15 kg liquid	£115.00	White 2 component, solvent free, liquid applied, flexible and crack bridging, oil resistant and oil tight sealant.
3.031	B KÖSTER NB Elastic Grey	27 x 33 kg Combi-Packs	3 - 6 kg/m <sup>2</sup>	25 kg powder 8 kg liquid	£130.00	2-component, highly flexible, brushable and groutable sealing slurry, wear resistant, crack bridging and resistant to hydrostatic pressure. Crack bridging > 2 mm.
3.038	C KÖSTER Elastic Roof	30 x 15kg	1.5 - 2 kg/m <sup>2</sup>	5 kg powder 10 kg liquid	£75.00	White two component, elastic, crack bridging and solvent free waterproofing material
3.039	B KÖSTER NB Elastic 1C white	42 x 25 kg	3 - 6 kg/m <sup>2</sup>	25 kg	£102.00	White 1-component, watertight, flexible sealing slurry, wear resistant and crack bridging.
3.041	B KÖSTER Mautrol® Liquid Sealant	4 x 240 kg	0.1 kg/m per cm thickness of wall	240 kg	£1,550.00	Very thin liquid silicifying concentrate with water-repellent additives for sealing against rising moisture.
		27 x 36 kg		36 kg	£255.00	
		87 x 12 kg		12 kg	£87.00	
3.042	A KÖSTER Mautrol® Liquid Sealant Cartridges	32 cartons	dependent on wall thickness 5-14 cartridges per m	0.55 kg/cartridge (28/carton)	£8.00	Silicifying concentrate in self-batching cartridges, horizontal barrier against rising moisture.
3.05	A KÖSTER Mautrol® Borehole Suspension	42 x 24 kg	1.6 kg/litre void	24 kg	£85.00	Silifying slurry for filling of voids and cracks in substrates, preparing the substrate for injections against rising damp.
3.061	B KÖSTER Mautrol® 2C	24 x 39.5 kg	0.15 kg/m per cm thickness of wall	39.5 kg (36+3.5)	£232.00	2-component injection liquid consisting of water-based alkali silicates and a special ester. For sealing against rising moisture and for strengthening of masonry by pressure injection.
3.062	B KÖSTER Mautrol® Flex 2C	42 x 20 kg	0.2 kg / m injection mix per cm thickness of wall water-thinnable up to 1:10	20 kg	£299.00	2-component, solvent free, pore filling injection concentrate based on acrylic and ester. It is water dilutable and will provide a water-repellent effect on the pores & against rising damp.
3.081	B KÖSTER Crisin® 76	4 x 210 litre	0.1 litre/m per cm wall thickness	210 litre	£3,600.00	Very thin synthetic resin for sealing against rising damp even where there is a high moisture and salt content in the masonry.
		16 x 30 litre		30 litre	£520.00	
		60 x 10 litre		10 litre	£176.00	
3.082	A KÖSTER Crisin® 76 Cartridges	32 cartons	dependant on wall thickness 8-24 cartridges per m	450 ml/cartridge (28/carton)	£8.65	Dissolved synthetic resin in self-batching cartridges for sealing against rising moisture. Low viscosity 1.2 mPa. Test certificate available, European Patent.

3 Waterproofing Systems for Sealing of Pressurised and Non-Pressurised Water,Horizontal Water Barriers, Anti-Mould-System						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
3.14	B KÖSTER Waterstop	36 x 15 kg	2 kg/litre void	15 kg	£69.00	Expanding, fast setting waterplug for sealing off active water leaks and for quick-repairs.
3.152	A KÖSTER AMS liquid Film	60 x 5 kg	500 g/m <sup>2</sup>	5kg	£59.00	Water Tight but air-permeable liquid film for Koster AMS System
3.153	A KÖSTER AMS Special Plaster	36 x 15 kg	2 kg/m <sup>2</sup>	15 kg	£79.00	Extremely absorbent, capillary non-active special plaster for AMS System.
3.159	A KÖSTER AMS System Pack	40 packs	for 4 m <sup>2</sup>	Pack = 2 kg Liquid Film 10 kg Plaster	£98.00	System to prevent mould growth in living areas on a pure physical non-toxic basis.
4 Facade Impregnation, Cleaning Agents and Coatings, Surface Protection, Improvers						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
4.011	A KÖSTER Polysil® TG 500	60 x 5 kg	0.1 - 0.13 kg/m <sup>2</sup>	5 kg	£45.00	Low viscous and deep penetrating primer based on a polymer and silicate mixture, for damp and salt polluted surfaces.
		60 x 10kg		10 kg	£90.00	
4.013	A KÖSTER Polysil® OLH	60 x 10 kg	0.15-0.25 kg/m <sup>2</sup>	10kg	£145.00	Oil and water repellent impregnation for mineral floor coating with Level G. Combination product based on a polymer and silicate mixture. *Discontinued Limited amount in stock* Special Price
4.04	C KÖSTER Siloxan	60 x 10 litre	according to absorbency of substrate 0.2-1 litre/m <sup>2</sup>	10 litre	£95.00	Colourless curing, water repellent facade impregnation for brick- and natural stone constructions, concrete and plaster, water-vapour permeable.
4.16	C KÖSTER Silicone Paint White	60 x 10 litre	0.2 litre/m <sup>2</sup>	10 litre	£119.00	Eggshell, hydrophobic facade paint based on silicon resin. Rain- and dirt repelling. Ideal coat for restoration plaster due to its high vapour diffusion.
4.20	A KÖSTER Facade Cream	16 x 25 litre	according to absorbency of substrate 0.1 - 0.25 kg/m <sup>2</sup>	25 litre	£629.00	Solvent-free, water repellent hydrophobic cream for bricks, klinker bricks, natural stone and mineral plasters.
		60 x 5 litre		5 litre	£142.00	
5 Restoration Plasters, Fast Setting Cements, Special Mortars						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
5.011	C KÖSTER KB-Fix 1	36 x 15 kg	1.8 kg/litre void	15 kg	£49.50	Compression, weather and water resistant rapid curing cement with a curing time of 1 minute.
5.015	C KÖSTER KB-Fix 5	36 x 15 kg	1.8 kg/litre void	15 kg	£45.00	Compression, weather and water resistant rapid curing cement with a curing time of 5 minutes.
5.02	C KÖSTER Fast Setting Cement	42 x 20 kg	according to desired setting time	20 kg	£52.00	Setting accelerator for cement based plaster, screed and masonry mortars.
5.032	C KÖSTER Repair Mortar Plus	42 x 30 kg	1.8 kg/litre void	30 kg	£56.00	Fast curing. Slightly expanding, high strength repair mortar
		36 x 15 kg		15 kg	£40.00	
5.035	C KÖSTER Repair Mortar NC	42 x 25 kg	1.7 kg/litre void	25 kg	£50.00	Fibre reinforced, high chemical and mechanical resistant repair mortar

5 Restoration Plasters, Fast Setting Cements, Special Mortars						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
5.0681	C KÖSTER Restoration Plaster E "Fast" - Grey	42 x 30 kg	12 kg/m <sup>2</sup> per cm layer thickness	30 kg	£31.00	Fast setting restoration plaster with high porosity & hydrophobic properties. For renovating salt damaged and moisture penetrated masonry.
5.0633	C KÖSTER Restoration Plaster E "Fast" - White	42 x 30 kg	12 kg/m <sup>2</sup> per cm layer thickness	30 kg	£37.50	Fast setting White restoration plaster with high porosity & hydrophobic properties. For renovating salt damaged and moisture penetrated masonry.
5.064	B KÖSTER Restoration Plaster 2 "light"	42 x 25 kg	9.0 kg/m <sup>2</sup> per cm layer thickness	25 kg	£48.00	White, diffusion-open, water-repellent, salt-withstanding restoration plaster with low specific gravity.
5.065	B KÖSTER Restoration Plaster 2 "light and fast"	42 x 25 kg	9.0 kg/m <sup>2</sup> per cm layer thickness	25 kg	£54.00	White, diffusion-open, water-repellent, salt-withstanding and fast curing restoration plaster with low specific gravity.
5.068	C KÖSTER Restoration Plaster "E" Grey	42 x 30 kg	12 kg/m <sup>2</sup> per cm layer thickness	30 kg	£37.00	Water-repellent restoration plaster for restoration of salt-damaged and moistened masonry.
5.069	B KÖSTER Restoration Plaster Coat	42 x 25 kg	1.7 kg/m <sup>2</sup> per mm layer thickness	25 kg	£51.00	Filler plaster for making of very smooth surfaces on KÖSTER restoration plasters.
5.091	C KÖSTER Self-Levelling Floor 15	42 x 25 kg	2.0 kg/m <sup>2</sup> per mm layer thickness	25 kg	£54.00	1-component, self-spreading floor filling compound and levelling composition for mineral substrates. Abrasion-proof and resistant to impact.
5.13	C KÖSTER Adhesive Mortar	27 x 33 kg Combi-Pack	2 kg/m <sup>2</sup> per mm layer thickness	25 kg powder 8 kg liquid	£62.50	2-component, stable, mineral adhesive mortar for adhesion of all common mineral materials.
5.14	C KÖSTER BD Flexible Tile Adhesive	42 x 25kg	1.7 kg/m <sup>2</sup> per mm layer thickness	25 kg	£41.00	Single Component, mineral, flexible adhesive for all building materials in construction
5.15	C KÖSTER Silicate Mortar	27 x 29.5 kg Combi-Pack	2.1 kg/m <sup>2</sup> per mm layer thickness	24 kg powder 5.5 kg liquid	£76.00	2-component, highly chemical-resistant mortar on silicate base for sealing of eg sewage works or at high chemical stress. Field of application from ph 0 to ph 7
5.18	C KÖSTER PSM	27 x 30.75 kg	1.9kg/sq.m. per mm layer thickness	24 kg powder 5.5 kg Liquid 1.25 kg resin	£106.00	3-component mineral, based on polymer and silicate with a high resistance to acids. The fully cured mortar provides a high compressive strength and is abrasion resistant.
5.19	C KÖSTER Sewer and shaft mortar	42 x 25 kg	1.8 kg/litre void	25 kg	£49.00	Fibre reinforced, watertight, fast curing and fast setting restoration mortar for sewers and shafts, high chemical and mechanical resistant repair mortar

Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
5.20	C KÖSTER Betomor® Multi A	36 x 15 kg	1.3 kg/litre void	15 kg	£57.50	Shrink-proof, fast curing, multi-purpose mortar for concrete restoration. Application as corrosion protection, coarse and fine filler for internal and external areas.
5.21	C KÖSTER Betomor® C-Coat	42 x 25 kg	1.7 kg/m <sup>2</sup> per mm layer thickness	25 kg	£60.00	Tension free curing filler and levelling mortar for smoothing concrete substrates and rough surfaces. Layer thickness up to 5 mm.
5.23	C KÖSTER Betomor® Light 88	42 x 18 kg	0.88 kg/litre void	18 kg	£66.00	Non-shrink, water impermeable lightweight mortar for repairs and re-modelling of concrete and screed surfaces. Specific gravity is 0.88 kg/ltr.
5.25	B KÖSTER VGM Fast	42 x 30 kg	1.9 kg / litre void	30 kg	£67.50	Fast Setting Grout Mortar with high final compressive strength with very good flow rate. Can be trafficked after 4 hours.
5.28	C KÖSTER MF1	42 x 20 kg	0.8kg/sq.m / coat	20 kg	£66.00	White Mineral Paint for inside and outside use, effective against algae, mould but free of fungicidal toxins
5.29	B KÖSTER Betomor® Micro Grout 1C	42 x 25 kg	1.6 kg/litre void	24 kg	£69.00	High quality, non-shrink grout for crack and cavity filling with very high final pressure strength based on finest micro-cements.
<b>6 Construction and Injection Resins, Injection Gel, Synthetic Resin Coatings</b>						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
6.01	C KÖSTER KB-POX® EM-VS	18 x 8 kg	0.3 - 0.5 kg/m <sup>2</sup>	8kg	£123.00	2-component, multi-purpose, water based epoxy resin sealant for coating of wall and floor surfaces. Colour: in accordance with RAL 7032 (pebble grey). Other colours available upon request.
6.035	A KÖSTER VAP® 2000	60 x 25 kg	0.4 - 0.5 kg/m <sup>2</sup>	25 kg	£996.00	Solvent-free, low viscous, diaphanous, 2-component special resin as vapour barrier against osmotic blistering.
6.06	C KÖSTER LF-BM	24 x 25 kg	0.3 - 0.5 kg/m <sup>2</sup> as primer	25 kg	£440.00	2-component, solvent-free all-purpose epoxid bonding agent. Can be used as primer and as a mortar resin.
6.07	C KÖSTER LF-VL	24 x 26.8 kg	2.6 kg / sq.m. (2mm)	26.8kg	£295.00	A Solvent Free, decorative floor covering with high abrasion resistance.
6.08	C KÖSTER CMC	60 x 5.3 kg	4 kg / sq.m.	5.3 kg	£70.00	Solvent free epoxy resin mortar with very good adhesion to all mineral substrates and stainless steel. Resists high mechanical / chemical stresses.
6.081	C Koster CMC Primer	45 x 10 litre	0.05-0.1 kg/sq.m.	10L	£187.00	Transparent Primer for the surface preparation of stainless steel substrates prior to the application of Koster KB-Pox CMC
6.083	C KÖSTER KB-Pox Corrosion Protection	120 x 6 kg	1kg/m <sup>2</sup> total	6 kg	£115.00	A solvent free, epoxy based protective coating with excellent adhesion to steel
6.084	C Koster Bridge Coat	36 x 13.5 kg	0.2 kg / sq.m.	13.5 kg	£285.00	Two component epoxy sealant for waterproofing bridge decks and other civil engineering structures.
6.085	C Koster PUR Bitumen	36 x13.1kg	0.4 -0.5 kg/sq.m.	13.1 KG	£185.00	Elastic, brush, roll, and sprayable PU sealant for waterproofing horizontal and vertical concrete areas
6.082	KÖSTER VE	120 x 5.3 kg	4.5 kg/ sq.m./ mm	5.3 kg pack	£83.00	Vinyl ester mortar with good adhesion to all mineral substrates and stainless steel excellent resistance to high chemical and mechanical demands
6.12	C KÖSTER KB-PUR® GEL	4 x 210 kg	dilutable with water	210 kg	£6,300.00	Solvent-free, water activated polyurethane gel. The system will only react if it is in contact with water when it will form a highly flexible, water impermeable foam barrier.
		24 x 25 kg		25 kg	£831.00	
		80 x 2.5 kg		2.5 kg	£120.00	

6 Construction and Injection Resins, Injection Gel, Synthetic Resin Coatings						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
6.13	B KÖSTER KB-PUR® IN 1 Injection Foam	36 x 27.5 kg	0.1 kg/litre void	27.5 kg	£365.00	2-component, solvent free, water activated hydrophobic MDI based polyurethane isocyanate foam for sealing of water bearing cracks and joints.
		80 x 5.5 kg		5.5 kg	£85.00	
6.14	B KÖSTER KB-PUR® IN 2 Injection Resin	36 x 40 kg	1.1 kg/litre void	40 kg	£515.00	2-component, flexible polyurethane injection resin for sealing of cracks. Designed to withstand continual contraction & expansion.
		80 x 8 kg		8 kg	£128.00	
6.145	B KÖSTER KB-PUR® 2 IN 1 Injection Resin	36 x 25 kg	0.1 kg/litre void (foam) 1.1 kg/litre void (solid resin)	25 kg	£338.00	2-component, water activated, viscous-elastic polyurethane injection resin for one and two step sealing of water bearing cracks and joints.
		60 x 5 kg		5 kg	£86.00	
		384 x 1kg		1 kg	£25.00	
6.15	B KÖSTER KB-PUR® IN 3 Injection Resin	80 x 8 kg	1.1 kg/litre void	8 kg	£137.00	2-component, low-visosity polyurethane injection resin for compression-resistant and tension-proof injection of cracks and joints.
6.17	B KÖSTER KB-PUR® IN 5 Injection and Casting Resin	40 x 10 kg	1.1 kg/litre void	10 kg	£137.00	2-component, low-viscous, elastic polyurethane injection resin. Applied with injection hoses for sealing fine cracks.
6.19	B KÖSTER KB-PUR® IN 7 Injection Foam	36 x 27.5 kg	0.1 kg/litre void	27.5 kg	£360.00	2-component, water activated, viscous-elastic injection foam for one step sealing of water bearing cracks and joints.
		80 x 5.5 kg		5.5 kg	£88.00	
6.22	C KÖSTER Geo Foam	18 x 46 kg	1.1 kg / litre (confined) 50-100g /litre (unrestricted)	46 kg	£420.00	2 component, low viscosity, tough, rigid and hydrophobic foam. For ground stabilisation / underpinning, void filling and water stopping.
		1 x 460 kg		460 kg	£3,800.00	
6.221	C KÖSTER Geo Foam Accelerator	240 x 2.5kg	0.5 to 1.5 % to be added to Geof foam	2.5 kg	£32.67	Accelerator for Koster Geo Foam, is added to part A of Geo Foam where a quicker reaction time is required.
		36 x 25 kg		25 kg	£186.42	
6.25	C Koster Water Stop Board	12 Cartons per pallet	As Required	40 pcs. Per carton	£37.50	For Waterproofing of concrete construction joints 150mm x 2500mm x 5mm thick
7 Synthetic Roof Coatings, Special Coatings, Separating Agents and Adhesives						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
7.06	C KÖSTER Dachflex®	24 x 20 kg	0.75 -1.0 kg/m² for other colours	20 kg plus£0.35/kg	£162.00	Solvent-free, highly flexible, synthetic coating for restoration of leaking low-gradient flat roofs and suitable as preventive weather-resisting barrier. Coloured available for minimum quantities of 1000 kg.
7.15	A KOSTER Anti-Soot	240 x 1kg	0.5 - 0.8 kg / sq.m.	1kg	£17.50	A permanent, deeply penetrating primer to prevent and combat sooting of chimney breasts.
7.155	B KÖSTER Z1	240 x 1 kg	800g / sq.m. per coat	1kg	£15.00	A polymer modified special slurry for the mineral corrosion protection of steel reinforcement
7.156	B KÖSTER Z2	241 x 1 kg	800g / sq.m. per coat	1kg	£15.00	A polymer modified special slurry for the mineral corrosion protection of steel reinforcement (Red for visual application control)
7.23	C KÖSTER BE Rainproof	120 x 5kg	0.2kg / sq.m.	5 kg	£33.00	Liquid enhancer for all fresh bitumen coatings. Forms a watertight film for protection from rain.

7 Synthetic Roof Coatings, Special Coatings, Separating Agents and Adhesives						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
7.30	C KÖSTER KSK Primer SP	120 x 5kg	0.1-0.2 kg / sq.m.	5 kg	£64.00	Strongly adhesive, solvent containing synthetic resin primer for the substrate preparation prior to application of KÖSTER Bikuplan® KSK sheets. Specially designed for application at low temperatures (down to -10°C).
7.32	C KÖSTER KSK Primer BL	36 x 15 kg	0.25 - 0.4 kg/m²	15 kg	£66.00	Solvent-free, strongly adhesive primer for KSK sealing membranes, based on emulsion bitumen with high synthetic contents.
8 Joint Sealants, Joint Fillers						
Art.No.	Product	Qty per pallet	Coverage	Contents	£ per pack	Description
8.031	C KÖSTER Joint Sealant FS-V	96 x 4 kg	1.6 kg/litre void	4 kg	£85.00	2-component, stable, highly chemical-resistant polysulphide joint sealant for sealing of vertical joints.
8.032	C KÖSTER Joint Sealant FS-H	96 x 4 kg	1.6 kg/litre void	4 kg	£85.00	2-component, self-levelling, highly chemical-resistant polysulphide joint sealant for sealing of horizontal joints.
8.039	D KÖSTER FS Primer	32 cartons	10 - 20 ml per running meter void	250 ml can (20 cans/carton)	£24.50	Fast curing, colourless adhesion agent for KÖSTER Joint Sealant FS-V and FS-H.
8.05	B KÖSTER KB-Flex 200 Cartridge	32 cartons	1.6 kg / 1 litre void	850 g cartridge (20 pcs/carton) per cartridge	£32.50	Permanently plastic, damp and watertight mastic for waterproofing against pressurised water.
8.06	B KÖSTER PU Joint Sealant	100 units	1 kg / litre void	5.65kg combi	£62.50	Pourable PU Joint Sealing, provides an elastic and flexible seal.
8.10	C Joint Tape 20	60 x 20m rolls		200mm x 20m	£282.00	For waterproofing of movement joints
8.11	C Joint Tape 30	48 x 20m rolls		300mm x 20m	£380.00	For waterproofing of movement joints
8.12	C KB POX Adhesive	60 x 5kg	2-2.5 kg/lin.m.	5 kg	£61.00	High performance adhesive for Koster Joint Tape with excellent adhesion to concrete, mortar, metal and wood
9 Cleaning Agents, Thinners						
Art.No.	Product	Qty per pallet	Coverage	Packing	£ per pack	Description
9.03	C KÖSTER Bitumen Remover	87 x 10 litre	according to requirement	10 litre	£87.00	Solvent containing cleaning agent for removing bitumen soilings.
9.08	C KÖSTER KB-POX® Cleaner	87 x 10 litre	according to requirement	10 litre	£95.00	Cleaning agent for removing epoxy resin soilings.
9.10	C KÖSTER KB-PUR® Cleaner	87 x 10 litre	according to requirement	10 litre 1 litre	£115.00 £15.00	Organic cleaning agent for removing polyurethane soilings.



10 Synthetic Roof and Sealing Membranes, Sheet Membranes						
Art.No.	Product	Qty per pallet	Roll size	Contents	£ per pack	Description
10.3112	B KÖSTER BIKUPLAN® KSK AW 15 - 1.5mm	20 x 1 roll cartons	1.05 m x 20 m	21 m²	£195.00	A cold applied self-adhesive waterproof membrane consisting of a cross laminated polyethylene film with a rubber/bitumen adhesive. Can be used all year round down to -10°C.
10.3111	A KÖSTER BIKUPLAN® Fix-Tape 10 AW - 1mm	20 x 7 roll cartons	150 mm x 20 m	20 m	£31.50	A flexible, cold applied self-adhesive sealing tape consisting of a cross laminated polyethylene film with a rubber/bitumen adhesive. Can be used down to -5°C.
		20 x 4 roll cartons	250 mm x 20 m		£49.00	
		20 x 3 roll cartons	350 mm x 20 m		£65.00	
10.3312	A KÖSTER BIKUPLAN® Fix-Tape 10 ALU - 1mm	20 x 10 roll cartons	100 mm x 10 m		£12.00	A cold applied, self-adhesive flashing with paper release and aluminium or lead coloured foil backing.
		20 x 7 roll cartons	150 mm x 10 m		£18.00	
10.341	C KÖSTER BIKUPLAN® KSK ALU Strong - 1.7mm	20 x 1 roll cartons	1.05 m x 10 m	10.5 m²	£140.00	A cold applied self-adhesive membrane consisting of a highly tear-resistant cloth sandwiched between bitumen/rubber adhesive and a coarse grain embossed, UV resistant, grey aluminium foil.
10.36	C KÖSTER Fix Band 15 DS		50mm x 1.5mm x 20m	1 sq.m.	£11.00	A double sided, cold applied, self adhesive bitumen/rubber sealing strip.
10.37	C KÖSTER Bikuplan Special Joint Tape		2mm x 300mm x 10m	10m	£175.00	Cold-adhesive, sealing tape for expansion, movement and separation joints.
10.38	C KÖSTER Bikuplan Butyl Fix-Tape Fleece		1.5mm x 150mm x 10m	10m	£51.50	Cold-adhesive, fleece laminated butyl sealing tape, to be used as top finish for Bikuplan sealing membranes
10.39	C KÖSTER BIKUPLAN® KSK Triangular Ribbon	20 x 25 piece cartons	1.05m x 30mm - appr	25 units/carton price per unit	£15.00	A cold applied self-adhesive, highly flexible bitumen/rubber triangular ribbon for safe and easy valley and joint sealing.
11 Accessories						
Art.No.	Product			Contents	£ per unit	Description
11.01	C KÖSTER Glass Fibre Mesh		0.33 m x 100 m	100 m	£132.00	Glass silk fabric with extremely high tear resistance for strengthening of bituminous thick film sealants in accordance with DIN 18195.
			1.00 m x 100 m	100 m²	£276.00	
11.03	C KÖSTER Flex Tape K 120 Aquaproof Tape		120 mm x 50 m	50 m	£116.30	Highly flexible joint sealing tape for joining of surface sealings in tear-endangered areas.
11.05	C KÖSTER Flex Fabric		1m x 50 m	50 m²	£318.00	Highly flexible synthetic fabric for strengthening of thin-laminated sealings.
11.063	C KÖSTER Capillary Rods 45 cm		coverage dep. on wall thickness	per piece 50 pieces/pack	£2.50	For homogeneous distribution of injection liquids and for bridging of voids and cracks in masonry. European Patent.
11.064	C KÖSTER Capillary Rods 90 cm		coverage dep. on wall thickness	per piece 50 pieces/pack	£4.90	For homogeneous distribution of injection liquids and for bridging of voids and cracks in masonry. European Patent.

11		Accessories				
Art.No.	Product		Contents	£ per unit	Description	
11.40	C Delta Geo Drain Quattro	2.0 m x 12.5 m	25 m <sup>2</sup>	£280.00	Anti-rot, shape-retentive drainage and backfill protection for KÖSTER waterproof membranes. 4 Layer drainage membrane with built in edge seal.	
11.47	C Delta Top Sealing Profile	2 m length	per piece	£9.50	Top edge profile for Delta Geodrain Quattro Drainage and Protection Sheet	
11.49	C Delta Fixing Clip	2 per m	Per Pack of 100	£72.00	Fixing Elements for fixing of Quattro Drainage and Protection Sheet for use in combination with Top Sealing Profile	
12		Tools, Accessories, Equipment				
Art.No.	Product		Contents	£ per unit	Description	
12.01611	D KÖSTER Drill Stirrer for 2-comp. Thick Film Sealants		piece	£19.00	For 2-component thick film sealants.	
12.012	D KÖSTER Brush		piece	£5.60	For application of liquid materials	
12.013	D KÖSTER NB 1 Brush		piece	£5.60	For application of mineral slurries	
12.014	G KÖSTER spiked Roller		piece	£200.00	For de-airing of floor coatings. Width 80cm	
12.03	C KÖSTER Suction Angle		piece	£3.80	Plastic angles for the Crisin® and Mautrol® cartridges system. Reusable.	
12.05001	G KÖSTER Impact Packer 12	12 x 70 mm	100 pieces	£69.00	Injection plug with ball valve for grouting of resin and horizontal barriers	
12.05011	G KÖSTER Impact Packer 18 Plus	18 x 110 mm	101 pieces	£110.00	Injection plug with ball valve for grouting of KB Pur Gel	
12.05021	G KÖSTER Impact Packer 18	18 x 110 mm	102 pieces	£150.00	Injection plug without ball valve but with end cap for grouting of KB Pur Gel	
12.05071	G KÖSTER Impact tool for impact packer 12		piece	£19.00	Plastic cylinder as supporting tool for use with impact packers.	
12.05081	G KÖSTER Impact tool for impact packer 18		piece	£19.00	Plastic cylinder as supporting tool for use with impact packers.	
12.05091	G KÖSTER Impact Packer 18 Adapter		piece	£12.50	Adaptor for use with KOSTER Impact Packer 18 and KOSTER Impct Packer 18 Plus	
12.06102	C KÖSTER Super packer	10mm x 85 mm	100 pieces	£1.90	Injection packer with improved grip with cone head fixing for pressure grouting	
12.06103	C KÖSTER Super packer	10mm x 115 mm	100 pieces	£2.22	Injection packer with improved grip with cone head fixing for pressure grouting	
12.06132	C KÖSTER Super packer	13mm x 85 mm	100 pieces	£1.65	Injection packer with improved grip with cone head fixing for pressure grouting	

12 Tools, Accessories, Equipment					
Art.No.	Product		Contents	£ per unit	Description
12.06133	C KÖSTER Super packer	13mm x 115 mm	100 pieces	£1.95	Injection packer with improved grip with cone head fixing for pressure grouting
12.06532	C KÖSTER One Day Site Packer	13mm x 90 mm	100 pieces	£2.62	Hexagon packer with cone-head fitting and non-return valve for pressure grouting
12.06533	C KÖSTER One Day Site Packer	13 x 120 mm	100 pieces	£2.90	Hexagon packer with cone-head fitting and non-return valve for pressure grouting
* Option - All of the Cone Headed (grease nipple type) packers can also be supplied with a Flat Head (Slide on type) fittings. There is an additional charge for this option of £0.35/packer.					
12.067	G KÖSTER Wedia® Injection Lance	18 x 150 mm	50 pieces	£5.15	Injection lance with flat head fitting for gel injection.
		18 x 300 mm	25 pieces	£8.75	
		18 x 550 mm	25 pieces	£11.90	
12.068	KÖSTER Wedia® Distribution Lance	18 x 310 mm	25 pieces	£12.00	Injection lance with flat head fitting for gel curtain injection for sideways distribution of injection material.
		18 x 580 mm	25 pieces	£14.25	
12.07101	G KÖSTER Gel Pump	For Sale or Rental	piece	£12,000.00	2C injection pump with continuously adjustable mixing ratio.
12.07101	H KÖSTER water hose	5 m	piece	£85.00	Spare water hose for Gel pump
12.07103	H KÖSTER Gel hose	5 m	piece	£120.00	Spare Gel hose for Gel pump
12.07104	D KÖSTER Manometer		piece	£32.00	Spare manometer for Gel pump
12.07105	H KÖSTER Mixhead		piece	£490.00	Spare mix-head for Gel pump
12.07107	H KÖSTER Injection Whip	300mm	piece	£40.00	Spare injection whip for Koster Gel Pump 300mm Long
12.07107	D KÖSTER Slide Coupling		piece	£16.00	Replacement slide coupling for connection to pan head injection ports.
12.07108	D KÖSTER Wedia® Swivel joint		piece	£7.50	Connection between injection whip and slide coupling
12.07201	G KÖSTER 1C Injection Pump		piece	£2,700.00	For injection into cracks and filling of voids.
12.07202	H KÖSTER HP Material hose	5 m	piece	£90.00	Spare hose for 1C injection pump
12.07203	H KÖSTER Ball Valve		piece	£110.00	Spare ball valve for 1C injection pump
12.07204	H KÖSTER Manometer		piece	£99.00	Spare manometer for 1C injection pump
12.07205	H KÖSTER Material tank	6 ltr	piece	£205.00	Spare material tank for 1C injection pump
12.07206	H KÖSTER Sieve		piece	£27.00	Spare sieve for 1C injection pump
12.074	I KÖSTER KB-Loka Hand Pump		piece	£1,800.00	Heavy duty Hand Pump for injection and pumping of liquid products.
12.07501	H KÖSTER Hand pump		piece	£49.50	Without Manometer
12.07502	H KÖSTER Hand pump		piece	£160.00	With manometer

12 Tools, Accessories, Equipment					
Art.No.	Product	Contents	£ per unit	Description	
12.07503	D KÖSTER injection whip	300 mm	piece	£8.00	For hand pump
12.07504	D KÖSTER injection whip	500 mm	piece	£17.00	For hand pump
12.07505	D KÖSTER mouth piece		piece	£6.50	For cone head fitting
12.081	S KÖSTER Special Caulking Gun for KB-Flex 200	incl. connecting hose and nozzle	piece	£165.00	
12.082	S Connecting Hose and Nozzle for Caulking Gun		piece	£105.00	With flexible hose and 45 degree bend.
12.083	D KÖSTER Foam Tape	15 mm x 5 m roll	roll	£15.00	Expanding foam tape
12.084	D KÖSTER Cleaning Brush for KB-Flex 200		piece	£4.00	
12.085	D KÖSTER Cleaning Tissue for KB-Flex 200		10-kg-pack (appr. 3500 pcs)	£65.00	
12.086	D KÖSTER Spatula for KB-Flex 200	20 mm	piece	£2.20	
12.087	D KÖSTER Spatula for KB-Flex 200	50 mm	piece	£3.00	
12.088	H KÖSTER KB-Pur mixer		piece	£65.00	For mixing injection resins
12.096	S KÖSTER Disc Stirrer		piece	£42.00	With ring for single paddle mixer
12.097	S KÖSTER Mortar Stirrer		piece	£44.00	For Single Paddle Mixer
12.099	S KÖSTER Mortar Stirrer Set		piece	£92.00	For Double paddle Mixer. Consists of one right-handed and one left-handed mortar stirrer
12.10	G KÖSTER Rubber Hand Roller		piece	£95.00	For application of Bikupan® KSK sealing membranes
12.99987	I KÖSTER Protimeter		piece	£440.00	For evaluating the moisture content of the surface of structural members made of concrete, masonry, plaster or screed
12.99988	S KÖSTER Diagnosis Case		piece	£450.00	for quick diagnosis of constructions at site(salt analysis)

A proper and correct application of our products is not subject to our control. We guarantee the quality of the products supplied by us, but not the application results achieved. Detailed application instructions can be found in our latest technical data sheets.

All prices are liable to change and are void with as soon as a new price list is published. Our usual business, delivery and payment terms apply for all purchase orders. Other products are available by request.

= UK Stock Item - Normally available immediately.  
All other items available from Germany normally within 2 weeks.