

QUOTATION LIST

Buyer:

Date: April 20, 2013

Address:







Terms of Payment: 30% T/T payment as deposit to begin mass production, balance by T/T before









Terms of Trade:

Shipment detail: Leaving Guangzhou, China.

Products capacity: Delivery 10x20Ft within 30 days after receiving deposit.






Covering commodities of :









| No | Picture | Item No. | Description | FOB Guangzhou | |
|--------------------------------|--|---------------|---|----------------|----------------|
| | | | | Under 80000pcs | Over 100000pcs |
| Concealed Hinges Series | | | | | |
| 1 |  | OLC807 | Two Way, Inserted (C=17), 66-68g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 1.2mm, cycle test is 50000 times by USA, without screws, 250pcs in a polybag and a carton | USD 0.145 | USD 0.142 |
| 2 |  | OLC808 | Two Way, Half Overlay, (C=8), 65-68g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 1.2mm, cycle test is 50000 times by USA, without screws, 250pcs in a polybag and a carton | USD 0.145 | USD 0.142 |
| 3 |  | OLC809 | Two Way, Full Overlay (C=0), 65-68g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 1.2mm, cycle test is 50000 times by USA, without screws, 250pcs in a polybag and a carton | USD 0.145 | USD 0.142 |
| 4 |  | OLC807 | Two Way, Inserted (C=17), 60-62g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 1.0mm, cycle test is 50000 times by USA, without screws, 250pcs in a polybag and a carton | USD 0.126 | USD 0.124 |
| 5 |  | OLC808 | Two Way, Half Overlay, (C=8), 59-62g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 1.0mm, cycle test is 50000 times by USA, without screws, 250pcs in a polybag and a carton | USD 0.125 | USD 0.123 |
| 6 |  | OLC809 | Two Way, Full Overlay (C=0), 59-62g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 1.0mm, cycle test is 50000 times by USA, without screws, 250pcs in a polybag and a carton | USD 0.125 | USD 0.123 |

| | | | | | |
|----|---|---------------|---|-----------|-----------|
| 7 |  | OLC807 | Two Way, Inserted (C=17), 53-56g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 0.8mm, without screws, 250pcs in a polybag and a carton | USD 0.122 | USD 0.120 |
| 8 |  | OLC808 | Two Way, Half Overlay, (C=8), 52-55g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 0.8mm, without screws, 250pcs in a polybag and a carton | USD 0.119 | USD 0.118 |
| 9 |  | OLC809 | Two Way, Full Overlay (C=0), 52-55g/pc, Opening degree: 110, Diameter of Hinge cup: 35mm, 0.7mm of thickness, Range for door thickness: 14-26, Thickness of Arm and Plate: 0.8mm, without screws, 250pcs in a polybag and a carton | USD 0.119 | USD 0.118 |
| 10 |  | OLC707 | Clip-on hinge, Full Overlay (C=17), 150g/pcm, adjustable disassembly function, opening degree of 165, made of Iron, Nickel color, without screw, 10pcs into a box and 6boxes in a carton | USD 0.670 | USD 0.648 |
| 11 |  | OLC708 | Clip-on hinge, Half Overlay (C=8), 145g/pc, adjustable disassembly function, opening degree of 165, made of Iron, Nickel color, without screw, 10pcs into a box and 6boxes in a carton | USD 0.670 | USD 0.648 |
| 12 |  | OLC709 | Clip-on hinge, Insert (C=0), 143g/pc, adjustable disassembly function, opening degree of 165, made of Iron, Nickel color, without screw, 10pcs into a box and 6boxes in a carton | USD 0.630 | USD 0.610 |
| 13 |  | OLC7B09 | Slide-on hinge, Insert (C=0), 120-125g/pc, adjustable disassembly function, opening degree of 165, made of Iron, Nickel color, without screw, 10pcs into a box and 6boxes in a carton | USD 0.530 | USD 0.510 |
| 14 |  | OLC407 | Opening degree: 110, C=17, Insert Drilling holes distance on aluminum frame hinge: 28mm, made of Zinc-alloy and Iron Range width of aluminum frame: 19-24, 62g/pc, without screws, 250pcs in a polybag and in a carton, Thickness of arm and plate: 1.0mm | USD 0.180 | USD 0.175 |

| | | | | | |
|----|---|---------|--|-----------|-----------|
| 15 |  | OLC408 | Opening degree:110, C=8,Half overlay Drilling holes distance on aluminum frame hinge:28mm, made of Zinc-alloy and Iron Range width of aluminum frame:19-24, 62g/pc,without screws,250pcs in a polybag and in a carton,Thickness of arm and plate:1.0mm | USD 0.180 | USD 0.175 |
| 16 |  | OLC409 | Opening degree:110,,Full Overlay(C=0),Drilling holes distance on aluminum frame hinge:28mm, made of Zinc-alloy and Iron , Range width of aluminum frame:19-24,62g/pc,without screws,250pcs in a polybag and in a carton, Thickness of arm and plate:1.0mm | USD 0.180 | USD 0.175 |
| 17 |  | OLC307 | Insert(C=17),one way44-48g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.6mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.7mm,250pcs into a polybag and carton | USD 0.100 | USD 0.098 |
| 18 |  | OLC308 | Half Overlay(C=8),One way,44-48g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.6mm of thickness. matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm :0.7,thickness of Plate:0.8mm,250pcs into a polybag and carton | USD 0.098 | USD 0.096 |
| 19 |  | OLC309 | Full overlay(C=0),One Action,44-48g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.6mm of thickness. matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm:0.7mm, Thickness of Plate:0.8mm,250pcs into a polybag and carton | USD 0.098 | USD 0.096 |
| 20 |  | OLC2TO7 | Insert(C=17),one way44-46g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.6mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.7mm,250pcs into a polybag and carton | USD 0.098 | USD 0.097 |
| 21 |  | OLC2TO8 | Half Overlay(C=8),One way,44-46g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.6mm of thickness. matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm :0.7,thickness of Plate:0.8mm,250pcs into a polybag and carton | USD 0.097 | USD 0.096 |

| | | | | | |
|----|---|----------------|--|-----------|-----------|
| 22 |  | OLC2TO9 | Full overlay(C=0),One Action,44-46g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.6mm of thickness. matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm:0.7mm, Thickness of Plate:0.8mm,250pcs into a polybag and carton | USD 0.097 | USD 0.096 |
| 23 |  | OLC2AO7 | Insert(C=17),one way,52-54g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.6mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,250pcs into a polybag and carton | USD 0.116 | USD 0.114 |
| 24 |  | OLC2AO8 | Half Overlay(C=8),One way,52-54g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness. matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm 0.8,thickness of Plate:0.8mm,250pcs into a polybag and carton | USD 0.114 | USD 0.112 |
| 25 |  | OLC2AO9 | Full overlay(C=0),One Action,52-54g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness. matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm:0.8mm, Thickness of Plate:0.8mm,250pcs into a polybag and carton | USD 0.114 | USD 0.112 |
| 26 |  | OLC2A07 | Insert(C=17),one Action,56-58g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.7mm of the cup.1.0mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26,1.0mm Thickness of Arm, Plate:0.8mm,250pcs into a polybag and carton | USD 0.122 | USD 0.120 |
| 27 |  | OLC2A08 | Half Overlay(C=8),One way,55-58g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.7mm of the cup.1.0mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26,1.0mm Thickness of Arm, Plate:0.8mm,250pcs into a polybag and carton | USD 0.120 | USD 0.118 |
| 28 |  | OLC2A09 | Full overlay(C=0),One way,55-58g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.7mm of the cup.1.0mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26,1.0mm Thickness of Arm, Plate:0.8mm,250pcs into a polybag and carton | USD 0.120 | USD 0.118 |

| | | | | | |
|----|--|-----------------|--|-----------|-----------|
| 29 |  | OLC2A07 | Insert(C=17),one way,60-62g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs in a polybag and a carton,250pcs into a polybag and carton | USD 0.127 | USD 0.125 |
| 30 |  | OLC2A08 | Half Overlay(C=8),One way,59-62g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm, Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,250pcs into a polybag and carton | USD 0.125 | USD 0.123 |
| 31 |  | OLC2A09 | Full Overlay(C=0),One way,59-62g/pc,made of Iron,Nickle color, opening degree:105-110 Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm, Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs into a polybag and carton | USD 0.125 | USD 0.123 |
| 32 |  | OLC2B-07 | Inster (C=17),Two way,53-55g/pc,made of Iron,Nickle color,opening degree:105-110 , Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,match 2-holes-plate,without screws,250pcs into a polybag and carton | USD 0.119 | USD 0.117 |
| 33 |  | OLC2B-08 | Half Overlay(C=8),Two way,52-54g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm, Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,match 2-holes-plate,without screws,250pcs into a polybag and carton | USD 0.117 | USD 0.115 |
| 34 |  | OLC2B-09 | Full overlay(C=0),Two way,52-54g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,match 2-holes-plate,without screws,250pcs into a polybag and carton | USD 0.117 | USD 0.115 |
| 35 |  | OLC2B-07 | Insert(C=17),two way,60-62g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm, Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,,250pcs into a polybag and carton | USD 0.127 | USD 0.125 |

| | | | | | |
|----|--|-----------------|--|-----------|-----------|
| 36 |  | OLC2B-08 | Half Overlay(C=8),two way,59-62g/pc,made of Iron,Nickle color,opening degree:105-110,Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,,250pcs into a polybag and carton | USD 0.125 | USD 0.123 |
| 37 |  | OLC2B-09 | Full Overlay(C=0),two way,59-62g/pc,made of Iron,Nickle color,opening degree:105-110, Diameter of Hinge cup:35mm,0.8mm of thickness, Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs into a polybag and carton | USD 0.125 | USD 0.123 |
| 38 |  | OLC607A | Insert(C=17),one way,53-55g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,without screws,250pcs in a polybag and a cartonwithout screw,250pcs into a polybag and carton | USD 0.122 | USD 0.120 |
| 39 |  | OLC608A | Half Overlay(C=8),one way,52-55g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.6mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,without screws,250pcs in a polybag and a cartonwithout screw.250pcs into a polybag and carton | USD 0.118 | USD 0.116 |
| 40 |  | OLC609A | Full Overlay(C=0),one way,52-55g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm, Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,without screws,250pcs in a polybag and a cartonwithout screw.250pcs into a polybag and carton | USD 0.118 | USD 0.116 |
| 41 |  | OLC607A | Insert(C=17),one way,59-62g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs in a polybag and a carton | USD 0.129 | USD 0.127 |
| 42 |  | OLC608A | Half Overlay(C=8),One way,59-62g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm, Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screw,250pcs into a polybag and carton | USD 0.127 | USD 0.125 |
| 43 |  | OLC609A | Full Overlay(C=0),One way,59-62g/pc,made of Iron,Nickle color, opening degree:105-110 Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs into a polybag and carton | USD 0.127 | USD 0.125 |

| | | | | | |
|----|--|----------------|---|-----------|-----------|
| 44 |  | OLC607 | Insert(C=17),one way,59-62g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs in a polybag and a carton | USD 0.129 | USD 0.127 |
| 45 |  | OLC608 | Half Overlay(C=8),One way,59-62g/pc,made of Iron,Nickle color, Opening Degree:105-110, Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screw,250pcs into a polybag and carton | USD 0.127 | USD 0.125 |
| 46 |  | OLC609 | Full Overlay(C=0),One way,59-62g/pc,made of Iron,Nickle color, opening degree:105-110 Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 15-18mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs into a polybag and carton | USD 0.127 | USD 0.125 |
| 47 |  | OLC5B07 | Insert(C=15),two way,36-39g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,,250pcs into a polybag and carton | USD 0.115 | USD 0.112 |
| 48 |  | OLC5B08 | Half Overlay(C=8),two way,36-39g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,,250pcs into a polybag and carton | USD 0.114 | USD 0.110 |
| 49 |  | OLC5B09 | Full Overlay(C=0),two way,35-39g/pc,made of Iron,Nickle color,opening degree:95, Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs into a polybag and carton | USD 0.114 | USD 0.110 |
| 50 |  | OLC5A07 | Insert(C=15),One way,35-39g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, 0.8mm of the baseplate,1.0mm of the arm,without screws,,250pcs into a polybag and carton | USD 0.103 | USD 0.101 |
| 51 |  | OLC5A08 | Half Overlay(C=8),One way,34-38g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, 0.8mm of the baseplate,1.0mm of the arm,without screws,,250pcs into a polybag and carton | USD 0.102 | USD 0.100 |

| | | | | | |
|----|---|----------------|---|----------------|---------------|
| 52 |  | OLC5A09 | Full Overlay(C=0),One way,34-38g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, 0.8mm of the baseplate,1.0mm of the arm,without screws,,250pcs into a polybag and carton | USD 0.102 | USD 0.100 |
| 53 |  | OLC507 | Insert(C=15),One way,36-38g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,,250pcs into a polybag and carton | USD 0.105 | USD 0.103 |
| 54 |  | OLC508 | Half Overlay(C=8),One way,36-38g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,,250pcs into a polybag and carton | USD 0.104 | USD 0.102 |
| 55 |  | OLC509 | Full Overlay(C=0),One way,34-38g/pc,made of Iron,Nickle color,opening degree:95, Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:1.0mm,without screws,250pcs into a polybag and carton | USD 0.104 | USD 0.102 |
| 56 |  | OLC507 | Insert(C=15),One way,32-34g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, 0.8mm of the baseplate,0.8mm of the arm,without screws,,250pcs into a polybag and carton | USD 0.094 | USD 0.092 |
| 57 |  | OLC508 | Half Overlay(C=8),One way,32-34g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, 0.8mm of the baseplate,0.8mm of the arm,without screws,,250pcs into a polybag and carton | USD 0.093 | USD 0.091 |
| 58 |  | OLC509 | Full Overlay(C=0),One way,32-34g/pc,made of Iron,Nickle color,opening degree:95,Diameter of Hinge cup:26mm,0.6mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, 0.8mm of the baseplate,0.8mm of the arm,without screws,,250pcs into a polybag and carton | USD 0.093 | USD 0.091 |
| 59 | | | | Under 20000pcs | Over 50000pcs |
| 60 |  | OLC1102 | spring hinge,made of Iron,Nickle color,Diameter of Hinge cup:35mm,1.2mm of thickness, Thickness of Arm and Plate:1.2mm,without screws,200pcs into a polybag and carton | USD 0.300 | USD 0.294 |

| | | | | | |
|----|--|----------------|---|-----------|-----------|
| 61 |  | OLC45 | made of Iron,Nickle color,opening degree:45, Diameter of Hinge cup:35mm,0.7mm of thickness,matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,match 2-holes-plate,without screws,200pcs into a polybag and carton | USD 0.180 | USD 0.178 |
| 62 |  | OLC90 | made of Iron,Nickle color,opening degree:90, Diameter of Hinge cup:35mm,0.8mm of thickness, Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,match 2-holes-plate,without screws,250pcs into a polybag and carton | USD 0.180 | USD 0.178 |
| 63 |  | OLC135 | made of Iron,Nickle color,opening degree:135, Diameter of Hinge cup:35mm,0.7mm of thickness, matching the board of the furniture door between 14-16mm,Range for door thickness:14-26, Thickness of Arm and Plate:0.8mm,match 2-holes-plate,without screws,250pcs into a polybag and carton | USD 0.286 | USD 0.276 |
| 64 |  | OLC1100 | Opening Degree:95,Diameter of hinge cup:35mm Range thickness for the door:3-7mm,Made of Iron,Nickle color, Thickness of the Cup:0.7mm,Thickness of the Arm:1.2,Thickness of the plate:1.0,matching the board of the furniture door between 14-16mm,100pcs in a box,4boxes in a carton | USD 0.138 | USD 0.133 |
| 68 |  | OLC1101 | two way,Opening Degree:95,Diameter of hinge cup:35mm,matching the board of the furniture door between 14-16mm,Range thickness for the door:3-7mm,Made of Iron,Nickle color, Thickness of the Cup:0.8mm,Thickness of the Arm:1.2,Thickness of the plate:1.0,100pcs in a box,4boxes in a carton | USD 0.138 | USD 0.133 |

Remarks:

1, Less than USD15000 per order,you pay for USD100 as charge of Bank procedure by T/T,

2, Expiry Date: 20-30days after quotation day.