






## Quotation Sheet

No.PA120723QS

No.	Description and Picture	Item	Spec.	Unit	Price
					USD
1	 Mini Displayport Male to Displayport Female Molding Type	AD010A-BK	Mini Displayport (Male) to Displayport (Female) Molding Type, W/Latch, Adapter Type, RoHS	set	\$2.66
2	 Mini Displayport Male to Displayport Female Molding Type	AD010A-WH	Mini Displayport (Male) to Displayport (Female) Molding Type, W/Latch, Adapter Type, RoHS	set	\$2.66
3	 Displayport to HDMI Adapter Type 21mm	AD019A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA.</li> <li>. LED indicator: Cable link status.</li> </ul> W/Latch, W/LED, Adapter Type, Plastic Cover Ass'y, Width=21mm, RoHS	set	\$4.26
4	 Displayport to DVI Adapter Type 21mm	AD020A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with DVI 1.1 specification up to 1.65 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA.</li> <li>. LED indicator: Cable link status.</li> </ul> W/Latch, W/LED, Adapter Type, Plastic Cover Ass'y, Width=21mm, RoHS	set	\$3.90
5	 DisplayPort to VGA Adapter Type	AD021A	<ul style="list-style-type: none"> <li>. DisplayPort 1.1a compliant receiver offering 1.62 and 2.7Gbps over 4 lanes.</li> <li>. Support full DisplayPort link training.</li> <li>. Video resolution up 1920 X 1200 X 60Hz.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400 V and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, XGA, SVGA, SXGA, UXGA and WUXGA.</li> </ul> W/Latch, W/LED, Adapter Type, Plastic Cover Ass'y, RoHS	500	\$8.16
6	 Displayport to DVI Cable Type 100mm	AP-001A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with DVI 1.1 specification up to 1.65 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.89
7	 Displayport to VGA Cable Type 100mm	AP-002A	<ul style="list-style-type: none"> <li>. DisplayPort 1.1a compliant receiver offering 1.62 and 2.7Gbps over 4 lanes.</li> <li>. Support full DisplayPort link training.</li> <li>. Video resolution up 1920 X 1200 X 60Hz.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400 V and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, XGA, SVGA, SXGA, UXGA and WUXGA.</li> </ul> RoHS	set	\$8.24

8	 Displayport to HDMI Cable Type 100mm	AP-003A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.89
9	 Displayport to HDMI Cable Type 100mm	AP-004A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.89
10	 Displayport to DVI Cable Type 100mm	AP-005A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with DVI 1.1 specification up to 1.65 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.89
11	 Displayport to VGA Cable Type 100mm	AP-006A	<ul style="list-style-type: none"> <li>. DisplayPort 1.1a compliant receiver offering 1.62 and 2.7Gbps over 4 lanes.</li> <li>. Support full DisplayPort link training.</li> <li>. Video resolution up 1920 X 1200 X 60Hz.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400 V and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, XGA, SVGA, SXGA, UXGA and WUXGA.</li> <li>. RoHS</li> </ul>	set	\$8.24
12	 Mini Displayport to HDMI Cable Type 100mm	MAP-001A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA.</li> <li>. Cable Type, Plastic Cover Ass'y, Chip on HDMI side, Length=100mm, CE/FCC, RoHS</li> </ul>	500	\$3.72
13	 Mini Displayport to HDMI Cable Type 100mm	MAP-002A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA.</li> <li>. Cable Type, Plastic Cover Ass'y, Chip on HDMI side, Length=100mm, CE/FCC, RoHS</li> </ul>	set	\$3.89
14	 Mini Displayport to DVI Cable Type 100mm	MAP-003A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with DVI 1.1 specification up to 1.65 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA.</li> <li>. Cable Type, Plastic Cover Ass'y, Chip on DVI side, Length=100mm, CE/FCC, RoHS</li> </ul>	set	\$3.89
15	 Mini Displayport to VGA Cable Type 100mm	MAP-004A	<ul style="list-style-type: none"> <li>. DisplayPort 1.1a compliant receiver offering 1.62 and 2.7Gbps over 4 lanes.</li> <li>. Support full DisplayPort link training.</li> <li>. Video resolution up 1920 X 1200 X 60Hz.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400 V and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, XGA, SVGA, SXGA, UXGA and WUXGA.</li> <li>. Cable Type, Plastic Cover Ass'y, Chip on VGA side, Length=100mm, CE/FCC, RoHS</li> </ul>	set	\$8.19
16	 Mini Displayport to DVI Cable Type 100mm	MAP-010A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with DVI 1.1 specification up to 1.65 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.89

17	 Mini Displayport to HDMI Cable Type 100mm	MAP-011A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.89
18	 Mini Displayport to VGA Cable Type 100mm	MAP-012A	<ul style="list-style-type: none"> <li>. DisplayPort 1.1a compliant receiver offering 1.62 and 2.7Gbps over 4 lanes.</li> <li>. Support full DisplayPort link training.</li> <li>. Video resolution up 1920 X 1200 X 60Hz.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400 V and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, XGA, SVGA, SXGA, UXGA and WUXGA.</li> <li>. RoHS</li> </ul>	set	\$8.19
19	 Displayport Male to Displayport Female Cable	MDP-002A-01	Displayport (Male, Ass'y Type) to Displayport (Female, Molding Type) Cable, W/Latch,L=150mm Cable Type, RoHS	set	\$2.64
20	 Mini Displayport (Male) to Mini Displayport (Female) Cable	MDP-004A-01	Mini Displayport (Male, Molding Type) to Mini Displayport 90° (Female, Molding Type) Cable, W/Latch,L=150mm, Cable Type, RoHS	set	\$2.64
21	 Displayport (Male) to Mini Displayport (Female) Cable	MDP-003A-01	Displayport (Male, Ass'y Type) to Mini Displayport 90° (Female, Molding Type) Cable, W/Latch,L=150mm Cable Type, RoHS	set	\$2.64
22	 Mini Displayport Male to Displayport Female Cable	MDP-001A-01	Mini Displayport (Male, Molding Type) to Displayport (Female, Molding Type) Cable, W/Latch,L=150mm, Cable Type, RoHS	set	\$2.64
23	 Mini Displayport Male to Displayport Female Cable	MAP-001B	Mini Displayport (Male, Molding Type) to Displayport (Female, Molding Type) Cable, W/Latch,L=150mm, Cable Type, RoHS	set	\$2.64
24	 Mini Displayport Male to HDMI Male Cable 1.8m	MAP-206A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$3.92
25	 Displayport Male to DVI Male Cable 1.8m	MAP-205A	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with DVI 1.1 specification up to 1.65 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$4.93

26	 <p>Displayport Male to HDMI Male Cable 1.8m</p>	MAP-205DH	<ul style="list-style-type: none"> <li>. Compliant with DisplayPort Interoperability specification V1.1a.</li> <li>. Support full DisplayPort link training.</li> <li>. Compliant with HDMI 1.3a specification up to 2.25 Gbps.</li> <li>. ESD protect: Human Body Mode at 8 kV, Machine Mode at 400V, and Charged Device Mode at 2 kV.</li> <li>. PC: VGA, SVGA, XGA, SXGA, and UXGA.</li> <li>. HDTV: 480i, 576i, 480p, 576p, 1080i and 1080p.</li> <li>. Standby mode current: 64uA. RoHS</li> </ul>	set	\$4.93
	 <p>Simple Polybag - Free</p>	 <p>Add USD 0.185/pcs</p>			

**Remark:**

**\*\*RoHs compliant, UL,CE etc.**

**\*\* FOB ShenZhen, China; MOQ 500pcs**

**\*\* Payment Forms: T/T, L/C, PayPal, D/P at sight.**

**\*\* Delivery Date: 30-35 Working Days.**

**\*\* Packing:**

1) In bulk - Free

2) In blister - US\$0.45/pc, MOQ 1000pcs

Best Regards,

Alan Ouyang