



HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE

Coutstand (HK)Electronic Technology Co.,Ltd




Shenzhen Coutstand Electronic Technology Co.,Ltd

Add:No.3 Industrial Zone Nanlian Longgang Town Shenzhen China




Tel:+86-755-84817285 FAX:+86-755-84800898



Web:http://www.coutstand.com E-mail:sales@coutstand.com

QUOTATION

Company:		Contact Person:			
Add:		WEB:			
Country		Date:			
Tel		P/I No:			
FAX		P/O No:			
Item	Picture	Specification	Price	Packi	Remarks
HDMI splitter 1*4 SPC004A		<p>1).Distributes 1 HDMI source to 4 HDMI Displays simultaneously.</p> <p>2).Supports all the mandatory and several optional 3D formats described in HDMI 1.4 specifications</p> <p>3).Supports High Definition Resolutions :4KX2K @ 24 HZ, 1080p @ 60HZ, 720p/1080i @ 120Hz</p> <p>4).Supports Digital Audio Format, such as High Definition Audio support: Dolby TrueHD, and DTS-HD Master Audio</p> <p>Packing Details: *Product Dimension:(LXWXH)115 x62 x25mm *Packing qty :1pc/color box,20pcs/carton</p>	\$33.80	BOX	
HDMI splitter 1*8 (Desktop) SPC008A		<p>1). Distributes 1 HDMI source to 8 HDMI Displays simultaneously.</p> <p>2).Supports all the mandatory and several optional 3D formats described in HDMI 1.4 specifications.</p> <p>3).Supports High Definition Resolutions :4KX2K @ 24 HZ, 1080p @ 60HZ, 720p/1080i @ 120Hz.</p> <p>4).Supports Digital Audio Format, such as High Definition Audio support: Dolby TrueHD, and DTS-HD Master Audio.</p> <p>Packing Details: *Product Dimension:(LXWXH)270x110 x27.5mm</p>	\$59.80	BOX	
HDMI splitter 1*8(Rack-mount) SPC008B		<p>1). Distributes 1 HDMI source to 8 HDMI Displays simultaneously.</p> <p>2).Supports all the mandatory and several optional 3D formats described in HDMI 1.4 specifications.</p> <p>3).Supports High Definition Resolutions :4KX2K @ 24 HZ, 1080p @ 60HZ, 720p/1080i @ 120Hz.</p> <p>4).Supports Digital Audio Format, such as High Definition Audio support: Dolby TrueHD, and DTS-HD Master Audio.</p> <p>Packing Details: *Product Dimension:(LXWXH)270x110 x27.5mm</p>	\$83.30	BOX	

<p>HDMI splitter 1*16 SPC016</p>		<p>1).Distributes 1 HDMI source to 16 HDMI Displays simultaneously. 2).Support 3D video format 3).Supports High Definition Resolutions :4KX2K @ 24 HZ, 1080p @ 60HZ, 720p/1080i @ 120Hz. 4).Supports Digital Audio Format, such as High Definition Audio support: Dolby TrueHD, and DTS-HD Master Audio 5).DC 5V Power Packing Details: *Product Dimension:(LXWXH)315x110x40mm</p>	<p>\$132.70</p>	<p>Box</p>	
<p>VGA to HDMI converter SGH001A</p>		<p>1).Convert PC's VGA video and R/L audio into HDMI output 2).Ensures high picture quality 3).HDMI output resolution:1080P/ 60Hz. 4).HDCP compliant. 5).Install in seconds, no need of setting</p>	<p>\$28.80</p>	<p>Box</p>	
<p>HD-SDI to HDMI SHDM001A</p>		<p>1.Input Formats 525i,625i,720p50/59.94/60, 1080i 50/59.94/60,1080p23.98,1080p24 1080p@25Hz,1080p@29.97Hz,1080p@30Hz,1080P@60Hz 2.Video Input HD-SDI/SDI,SMPTE-259/274/292/296 3.Outputs HDMI with embedded audio, The Converter does not encode the HDMI output with HDCP encryption. By definition, SDI/HDSDI inputs to the Converter are unencrypted. The HDMI specification requires HDMI monitors to support unencrypted inputs</p>	<p>\$43.30</p>	<p>Box</p>	
<p>HD-SDI to HDMI SHDM002A</p>		<p>1.Input Formats 525i,625i,720p50/59.94/60, 1080i 50/59.94/60,1080p23.98,1080p24 1080p@25Hz,1080p@29.97Hz,1080p@30Hz,1080P@60Hz 2.Video Input HD-SDI/SDI,SMPTE-259/274/292/296 3.Outputs HDMI with embedded audio, 1 Looping SDI/HD-SDI output of the SDI input (75 ohm, unterminated) The Converter does not encode the HDMI output with HDCP encryption. By definition, SDI/HDSDI inputs to the Converter are unencrypted. The HDMI specification requires HDMI monitors</p>	<p>\$48.90</p>	<p>Box</p>	

<p>HDMI HDBaseT extenders Over cat5e/Cat6 SXXC001A</p>		<ol style="list-style-type: none"> 1).Compatible HDCP. 2).Supports 1080p and 720p video, plus 2-channel audio 3).Uses off-the-shelf gigabit IP switches for extension and distribution 4).Plug-and-play operation - no programming or setup required 5).Extends 1080p HDMI signals up to 120m over a single Cat5e/6 cable 6).Traffic can unicast,multicast or broadcast for different applications 7).Allows IR remote control of sources devices. 8).Maximum 3 layers of ethernet switches could be passed through. 	<p style="color: red;">\$52.8 (TX) \$48.8 (RX)</p>	<p>Box</p>	
<p>HDMI HDBaseT extenders Over cat5e/Cat6 SXXC003A</p>		<p>Features:</p> <ol style="list-style-type: none"> 1).Compatible HDCP. 2).Supports 1080p and 720p video, plus 2-channel audio 3).Uses off-the-shelf gigabit IP switches for extension and distribution 4).Plug-and-play operation - no programming or setup required 5).Extends 1080p HDMI signals up to 120m over a single Cat5e/6 cable 6).Traffic can unicast,multicast or broadcast for different applications 7).Allows IR remote control of sources devices. 8).With 4xRJ45 port can be used as a 4-port switch. 9).Maximum 3 layers of ethernet switches could 	<p style="color: red;">\$63.8 (TX) \$49.8 (RX)</p>	<p>Box</p>	
<p>1x2 HDBaseT splitter with Ethernet SCHDB001</p>		<ol style="list-style-type: none"> 1). Incorporates HDBaseT technology 2).Enables 10.2 Gbps of HDMI 1.4 (including HDCP) , 3).Transmit over a single 70m or 100m Cat5e/6 cable. 4).Support 3D&4kx2k 5)Supports Bi-directional IR 6).CEC Pass through 7).100Mbps Ethernet pass through 8).With RS232 Control 	<p style="color: red;">\$192 (70m) \$219 (100m)</p>	<p>Box</p>	

<p>1x4 HDBaseT splitter with Ethernet SCHDB002</p>		<p>1).Incorporates HDBaseT technology. 2).Distributes 1 HDMI source to 8 displays over Cat5e/6 cable. 3).Supports 3D features. 4).Supports resolutions from 480p to 1080p and up to 4K×2K. 5).Supports Dolby TrueHD, DTS- HD Mater Audio transmission. 6).Supports distances up to 100 meters through CAT5e/6 cables. 7).Supports Bi-Directional IR. 8).CEC and Ethernet Pass-Through.</p>	<p>\$380.6 (70m) \$439.3 (100m)</p>	<p>Box</p>	
<p>1x8 HDBaseT splitter with Ethernet SCHDB003</p>		<p>1).Incorporates HDBaseT technology. 2).Distributes 1 HDMI source to 8 displays over Cat5e/6 cable. 3).Supports 3D features. 4).Supports resolutions from 480p to 1080p and up to 4K×2K. 5).Supports Dolby TrueHD, DTS- HD Mater Audio transmission. 6).Supports distances up to 100 meters through CAT5e/6 cables. 7).Supports Bi-Directional IR. 8).CEC and Ethernet Pass-Through.</p>	<p>\$829.00</p>	<p>Box</p>	

REMARK:

- 1.Payment:T/T in advance.
- 2.Lead time:15 days after your order confirmation.
- 3.All lead time stated herein only serve as reference,and are subject to :
- 4.Above items are CE,FCC Certified.
- 5.Warranty :3 Year.
- 6.Package: White box /Color box.