



Ningbo Jinyu Magnet Co.,Ltd

ATTN: James
E-mail: sales@bw-magnet.com

Tel: 0086-13757463029
Fax: 0086-0574-87405316

Here are our magnets dimensions available :

REMARK: 1. Each dimension can be produced with the Grade N35-N52, 35M-50M, 35H-48H.
2. Each kind of dimension can be coated with one of Nickel, Zinc, Black Epoxy, etc.
3. The customized dimensions are accepted.

Block Dimensions (Length* Width* Thickness)

Unit:mm

	11*11*1.5	20*8*1.5	35*10*5	50*20*15
	11.9*5.9*3	20*8*3	35*14*10	50*20*20
	12*2*2	20*9*1	36*15*5	50*25*12
	12*6*3	20*10*2	36*30*10	50*28*8
	12*10*5	20*10*3	38.1*5.08*5.08	50x30x6
	12.5*2*1.5	20*10*7	39*25*5	50*30*20
	12.5*3*1.3	20*13*5.2	39*25*10	50*30*30
	12.5*4.5*1	20*14*2	40*5*2	50*35*15
	13.97*13.97*2.54	20*20*1	40*8*2	50*35*30
	13.97*13.97*5.08	20*20*8	40*10*3	50*40*6
	14*10*4	20*20*10	40*15*2.5	50*40*7
	14.5*14.5*3.8	20*20*20	40*15*3	50*40*30
5*3*7	15*5*3	21*6*2.9	40*20*8	50*50*5
5*5*5	15*6.5*3	23*13.65*3	40*20*10	50*50*12
6*3*1	15*6.5*4	23.5*13.5*5	40*25*5	50*50*25
6*4*1.5	15*8*1	25*3*1.3	40*25*6	50*50*30
6*4.8*2	16*2.5*1.5	25*4.5*1	40*25*10	50.8*25.4*12.7
6.5*6.5*2.5	16*6*6	25*10*5	40*35*6	51*13*7
7*5*3.5	16*16*5	25*11*4	40*30*10	55*10*10
8*4*1	18*4*1	25*12*3	40*40*6	56*12*4
8*5*4	18*5*3	25*12*7	40*40*16	60*10*10
8*7.5*5.7	18*6*1	25*14*4	42*15*2	60*14*5
8.5*4.5*3.5	18*6*1.5	28*18*14	42*33*17	62*21*6
9*9*2.5	18*8*2	30*2*2	42*35*5.7	70*70*20
10*3.5*4	18*8*6	30*2*4	45*12*1	78*28*10
10*5*0.8	18*9*1	30*2.8*3.3	45*12*2	80x4x14
10*5*2	18*11*2	30*7.9*3.5	45*28*8	92*90*20
10*10*1	18*15*5	30*12*2	45*40*6	100*12*4
10*10*2.5	18*18*6	30*15*3	46*35*4	100x40x20



Ningbo Jinyu Magnet Co.,Ltd

Atten: James Tel: 0086-13757463029
 E-mail: sales@bw-magnet.com Fax: 0086-0574-87405316

Disc Dimensions (Diameter* Thickness) Unit:mm

	D6*6	D10*10	D15*5	D24*6
	D6*7	D10*12	D15*6	D24*20
	D6*8	D10*15	D15*8	D24.5*3
	D6*20	D10*20	D15*45	D24.5*3.5
	D6.35*12.7	D10.5*1.5	D16*2	D24.4*5
	D6.4*3.4	D10.5*2	D17*2	D24.5*25.4
	D7*2	D11*1.5	D17*10	D25*2
	D7*3	D11*2	D17.1*2	D25*3.8
	D7*8	D11*3	D17.9*2	D25*6
	D7.1*1	D11.2*1.3	D18*2	D25*10
	D7.7*1	D12*0.75	D18*3	D25*100
	D7.8*0.8	D12*0.8	D18*4	D25*150
	D8*1.5	D12*1.5	D18*4.3	D26*10
	D8*2	D12*2	D18*5	D26*15
	D8*2.5	D12*2.5	D18.5*3	D27*3.5
D3*1	D8*5	D12*4	D19*3.2	D28.5*10
D3*2	D8*6	D12*5	D19*6.5	D29.5*10
D4*1	D8.5*3	D12*10	D19.3*3.95	D30*2
D4*2	D8.5*30.08	D12.5*1.5	D19.5*3	D30*3
D4*3	D9*9.7	D12.5*1.6	D19.7*2.5	D30*5
D4*6	D9.5*1.5	D12.5*3	D20*0.5	D33.5*6.4
D4*8	D9.5*2	D12.5*4	D20*1	D34*10
D4*9	D9.5*2.5	D12.7*3.175	D20*2	D35.4*20
D4*10	D9.5*6	D12.7*3.2	D20*3	D36*15*5
D4*16	D9.5*40	D12.7*6.35	D20*6	D38x2
D4.2*0.8	D9.65*1.7	D13*2	D20*10	D38*3.5
D4.75*3.2	D9.8*0.8	D13*3	D20*20	D45*15
D5*1	D10*0.75	D13*5	D21*4	D45*25
D5*3	D10*0.8	D13*6	D22*2	D45*30
D5*4	D10*1	D13*10	D22*3.5	D48*8.5
D5*5	D10*2	D14*2	D22*4	D50*30
D5*10	D10*2.7	D14*14	D22*10	D52*10.5
D5*35	D10*3	D15*0.5	D22*58	D55*25
D6*1	D10*4	D15*1	D22.3*2	D55*35
D6*2.5	D10*5	D15*2	D22.5*10	D60*6
D6*3	D10*6	D15*3	D23.1*14	D70*30
D6*4	D10*6.4	D15*3.5	D23.7*10	D70*50



Ningbo Jinyu Magnet Co.,Ltd

Atten: James Tel: 0086-13757463029
 E-mail: sales@bw-magnet.com Fax: 0086-0574-87405316

Ring Dimensions

(Outer Diameter* Inner Diameter* Thickness)

unit:mm

				
D5*1.5*1.5	D11*6.7*6	D19.2*6.1*3.5	D24*8.5*1.5	D36*15*5
D6*2*3.5	D11.6*5.6*1.2	D19.5*10.2*4	D24*18*3	D38*34*5
D6*3*1.5	D12*3.2*4.1	D20*5.5*1	D24.9*6*3.5	D49*19*2
D6.4*1.6*1.6	D12*3.4*10	D20*7*20	D25*8*25	D49*20*2
D7*2*1	D12*6*3	D21.5*5.5*1	D28*14*4	D50*35*5
D7*3.95*5.5	D12*6.5*10	D22*6*10	D29.9*22.4*3.5	D62*25.5*2.5
D8*2*1	D13*10*3.1	D22*10*5.5	D30*10*30	D63*6*10
D8*3.5*4	D14*7.15*14	D23.7*8.1*20	D30.9*19.2*1.6	D64*8*8
D8*6.3*4	D14.5*10.5*5	D23.8*D6.85*4	D32*16*8	D70*30*5
D8.4*3.4*1.2	D16*6.8*1.5	D23.8*D5.1*4	D32*18*6	D70*45*8
D9.4*5.7*0.8	D16.2*11.2*3	D24*5*4	D32.3*7*1.5	D80*32*4.2
D10.5*5.3*1.5	D17*5.5*1	D24*5.5*1	D32.5*16.5*2	D83.38*72.63*3
D10.5*6.5*5	D17*7*1	D24*7*1.5	D32x13x2	D90*50*3.5
D11*6.5*1	D18*8*4	D24*8.5*1	D35*11*2	D150*50*4

Ball Dimensions (Diameter)

unit:mm

		
D5	D6	D8
D10	D12	D15
D18	D20	D22
D25	D28	D30



Ningbo Jinyu Magnet Co.,Ltd

Atten: James Tel: 0086-13757463029
E-mail: sales@bw-magnet.com Fax: 0086-0574-87405316

Arc Dimensions



R6.25*R7.1*10.5*2	R62*R53.5*35*33.4*8.5
R15*R11*40*90°*4	R64*49*24*10
R23.5*R13.5*20*120°*10	R74*R68*30*16°*6
R26*R16*50*49.79*18.5	R82.3*R69.1*40*31.8*13.2
R29*R22.4*38*15.7*4.6	R85*R55*60*45°*3
R34.85*R28.5*6.35*20°*6.35	R124.8*104*51.8*9.3
R42*R32*20*23.8*10	R365*R330*149.5*57*36
R42*R32*35*23.8*10	R370*R335*49*43.5*35
R50*49*15.3°*3.5	R370*R335*65*26*35
R54.8*R41.1*40*23.4*13.7	R370*R335*99*59.1*35
R61.2*20*17.5*6.2	R370*R335*139.5*92.4*35
R62*R53.5*20*33.4*8.5	R370*R335*148*58.2*35

The magnet dimensions above have been produced in our process of manufacturing, and still many other dimensions that we can produce, the customized dimensions and irregular magnets that we also can produce, just supply us the magnets drawings.

When inquiring or ordering, please send us following information:

- 1.Type of magnet (material & grade)
- 2.Quantity (annual and per shipment)
- 3.Shape and dimensions (drawing if necessary)
- 4.Direction of magnetization
- 5.Magnetized or unmagnetized
- 6.Details of surface treatment
- 7.Application if possible
- 8.Other information and/or requirements

We sincerely looking forward to cooperating with you.