

Safetread™ Anti-Slip Stair & Flooring System

Contents

Safetread™ Stair Tread Covers	2-3
Safetread™ Stair Tread Landing Covers	4
Safetread™ Stair Riser Plates	5
Safetread™ Stair Nosings	6-8
Safetread™ Floor Sheets	9-10
Safetread™ Decking Strips	11-14
Installation Tools, Screws & Adhesives	15-16
Installation Personal Protective Equipment (PPE)	17-18
Anti-Slip Test Results	19

The information contained in this brochure is for general information purposes only. The information is provided by Sui Generis International Ltd and whilst every effort has been made to ensure the information was correct at the time of publication, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, suitability or availability with respect to the information, products, services, or related graphics contained within the brochure for any purpose. Any reliance you place on such information is therefore strictly at your own risk.

Sui Generis International Ltd.

The Chandler's Centre
Hythe Quay
Colchester
CO2 8JF
Tel: 01206 798 798
Fax: 01206 866 666
Email: info@suigeneris.co.uk
www.suigeneris.co.uk

Fibreglass Linings
Industrial Coatings
Surface Preparation
Spill Containment

Fibreglass Mouldings
Anti-slip Stair Covers
Anti-slip Floor Sheets
Fibreglass Grating

Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Tread Covers - Black & Yellow

Anti-Slip Covers for Stair Treads

Designed to cover existing stairs, Safetread Stair Covers are a quick and cost effective solution to improving safety in potential slip hazard areas and help towards achieving Disability Discrimination Act compliance.

Why buy Safetread™ Stair Tread Covers?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Corrosion resistant.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Very competitively priced.
- Special colours and sizes available to order.

Benefits:

- Helps create a safer environment.
- Covers existing stairs.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:


- DDA Compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST106	600 x 345 x 55	2.21	11.40
ST114	750 x 345 x 55	2.76	14.25
ST115	1000 x 345 x 55	3.68	19.00
ST108	1200 x 345 x 55	4.42	22.80
ST116	1500 x 345 x 55	5.52	28.50
ST109	1800 x 345 x 55	6.62	34.20
ST117	2000 x 345 x 55	7.36	38.00
ST110	2400 x 345 x 55	8.83	45.60
ST111	3000 x 345 x 55	11.06	57.00
ST112	3660 x 345 x 55	13.5	69.54
ST113	Per metre, cut to size*	3.68	19.00

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday for same day despatch.

Colours: Black with Yellow nosing.

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm. Maximum single size of Stair Tread Cover 3660mm Long x 345mm deep.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Tread Covers - Black & White

Anti-Slip Covers for Stair Treads

Designed to cover existing stairs, Safetread Stair Covers are a quick and cost effective solution to improving safety in potential slip hazard areas and help towards achieving Disability Discrimination Act compliance.

Why buy Safetread™ Stair Tread Covers?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Corrosion resistant.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Very competitively priced.
- Special colours and sizes available to order.

Benefits:

- Helps create a safer environment.
- Covers existing stairs.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:


- DDA Compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST118	600 x 345 x 55	2.21	11.40
ST119	750 x 345 x 55	2.76	14.25
ST120	1000 x 345 x 55	3.68	19.00
ST121	1200 x 345 x 55	4.42	22.80
ST122	1500 x 345 x 55	5.52	28.50
ST123	1800 x 345 x 55	6.62	34.20
ST124	2000 x 345 x 55	7.36	38.00
ST125	2400 x 345 x 55	8.83	45.60
ST126	3000 x 345 x 55	11.06	57.00
ST127	3660 x 345 x 55	13.5	69.54
ST128	Per metre, cut to size*	3.68	19.00

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday for same day despatch.

Colours: Black with Yellow nosing.

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm. Maximum single size of Stair Tread Cover 3660mm Long x 345mm deep.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Tread Landing Covers

Safetread GRP Stair Treads with extra depth for stair landing areas.

Manufactured with a contrasting yellow nosing for high visibility, designed to cover existing stairs and landing area, Safetread non-slip Landing Covers are a quick and cost effective solution to improving safety in potential slip hazard areas and help towards achieving Disability Discrimination Act compliance.

Can be used in conjunction with Stair Treads and Stair Riser Plates.

Why buy Safetread™ Stair Tread Landing Covers?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Corrosion resistant.
- Very competitively priced.
- Special colours and sizes available to order.

Benefits:

- Helps create a safer environment.
- Covers existing stairs and landing.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:



- DDA Compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST150	800 x 1200 x 55	7	33.00
ST151	1200 x 1200 x 55	10.5	42.00
ST152	2400 x 1200 x 55	21.1	125.00

Plus delivery. All prices exclude VAT. Large order prices on request.


Place your order before 12.00 midday for same day despatch.

Colours: Black with Yellow nosing.

Installation: Fitting service available if required.

Don't want to cut them yourself? Let us do it for you! Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm. Maximum single size of Stair Tread Landing Cover 2400mm Long x 1200mm deep.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Riser Plates

Tough GRP Riser Plates designed to clad the front of stairs or steps

Safetread Riser Plates clad the front of your step surface, offering a visually improved appearance and completing the look of your stairs.

Riser Plates conceal existing worn or untidy step surfaces, worn or scruffy concrete, and prevent objects falling through the open area of steel or timber stair-cases..

Why buy Safetread™ Stair Riser Plates?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Corrosion resistant.
- Very competitively priced.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:


- DDA Compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Available in Gritted or Smooth finish. Sizes in mm's

Gritted	Smooth	Length	Height	Weight	£
ST170	ST180	600	up to 220	0.6kg	5.50
ST171	ST181	750	up to 220	0.8kg	6.88
ST172	ST182	1000	up to 220	1.0kg	9.17
ST173	ST183	1200	up to 220	1.2kg	11.00
ST174	ST184	1500	up to 220	1.5kg	13.75
ST175	ST185	1800	up to 220	1.8kg	16.50
ST176	ST186	2000	up to 220	2.0kg	18.33
ST177	ST187	2400	up to 220	2.4kg	22.00

ST178	ST188	Per meter, cut to size*		1.0kg	9.17
-------	-------	-------------------------	--	-------	------

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday for same day despatch.

When ordering, specify your Height, we'll cut them to size for you, no extra charge.

Colour: Black (RAL 9004).

Finish: Gritted or Smooth.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Stair Riser Plate:
2400mm Long x 145mm deep.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Nosings

Anti-Slip Nosings for Stairs - Yellow

Designed to fit to the front of the step, Safetread™ Stair Nosings are a quick and cost effective solution to improving safety in potential slip hazard areas and help towards achieving Disability Discrimination Act compliance.

Why buy Safetread™ Stair Nosings?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Corrosion resistant.
- Chamfered back edge flush fit.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Very competitively priced.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:

- DDA Compliant.
- Regulation for new build compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST206	600 x 55 x 55	0.5	3.60
ST227	750 x 55 x 55	0.6	4.50
ST228	1000 x 55 x 55	0.76	6.00
ST208	1200 x 55 x 55	1.0	7.20
ST229	1500 x 55 x 55	1.2	9.00
ST209	1800 x 55 x 55	1.4	10.80
ST230	2000 x 55 x 55	1.5	12.00
ST210	2400 x 55 x 55	1.8	14.40
ST211	3000 x 55 x 55	2.3	18.00
ST212	3660 x 55 x 55	2.8	22.00

ST239	per metre, cut to size*	0.76	6.00
-------	-------------------------	------	------

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday for same day despatch.

Colour: Yellow RAL 1003.

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Stair Nosing 3660mm Long.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Nosings

Anti-Slip Nosings for Stairs - Black

Designed to fit to the front of the step, Safetread™ Stair Nosings are a quick and cost effective solution to improving safety in potential slip hazard areas and help towards achieving Disability Discrimination Act compliance.

Why buy Safetread™ Stair Nosings?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Corrosion resistant.
- Chamfered back edge flush fit.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Very competitively priced.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:

- DDA Compliant.
- Regulation for new build compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST213	600 x 55 x 55	0.5	3.60
ST231	750 x 55 x 55	0.6	4.50
ST232	1000 x 55 x 55	0.76	6.00
ST215	1200 x 55 x 55	1.0	7.20
ST233	1500 x 55 x 55	1.2	9.00
ST216	1800 x 55 x 55	1.4	10.80
ST234	2000 x 55 x 55	1.5	12.00
ST217	2400 x 55 x 55	1.8	14.40
ST218	3000 x 55 x 55	2.3	18.00
ST219	3660 x 55 x 55	2.8	22.00

ST240	per metre, cut to size*	0.76	6.00
-------	-------------------------	------	------

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday for same day despatch.

Colour: Black RAL 9004.

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Stair Nosing 3660mm Long.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Stair Nosings

Anti-Slip Nosings for Stairs - White

Designed to fit to the front of the step, Safetread™ Stair Nosings are a quick and cost effective solution to improving safety in potential slip hazard areas and help towards achieving Disability Discrimination Act compliance.

Why buy Safetread™ Stair Nosings?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Corrosion resistant.
- Chamfered back edge flush fit.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Very competitively priced.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Stairs can be used immediately after installation.

Compliance:

- DDA Compliant.
- Regulation for new build compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST220	600 x 55 x 55	0.5	3.60
ST235	750 x 55 x 55	0.6	4.50
ST236	1000 x 55 x 55	0.76	6.00
ST222	1200 x 55 x 55	1.0	7.20
ST237	1500 x 55 x 55	1.2	9.00
ST223	1800 x 55 x 55	1.4	10.80
ST238	2000 x 55 x 55	1.5	12.00
ST224	2400 x 55 x 55	1.8	14.40
ST225	3000 x 55 x 55	2.3	18.00
ST226	3660 x 55 x 55	2.8	22.00

ST241	per metre, cut to size*	0.76	6.00
-------	-------------------------	------	------

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday for same day despatch.

Colour: White RAL 9003.

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Stair Nosing 3660mm Long.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Floor Sheets

Anti-Slip Sheets for Floors

Designed to be fitted to floors, walkways, disabled access ramps, bridges, landing areas, platforms, piers and pontoons. Safetread™ Floor Sheets are a quick and cost effective solution to improving safety in potential slip hazard areas.

Why buy Safetread™ Floor Sheets?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.19).
- Corrosion resistant.
- Quick and easy to install.
- Cut to size service available.
- Hardwearing and durable.
- Very competitively priced.
- Special colours and sizes available to order.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Area can be used immediately after installation.

Compliance:

- DDA Compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Colour	Size mm	Weight Kg	£
ST301	Black RAL 9004	2400 x 1200	18	95
ST302	Black RAL 9004	1200 x 1200	9	55
ST303	Yellow RAL 1003	2400 x 1200	18	95
ST304	Yellow RAL 1003	1200 x 1200	9	55
ST305	Grey RAL7035	2400 x 1200	18	95
ST306	Grey RAL7035	1200 x 1200	9	55
ST307	Beige	2400 x 1200	18	95
ST308	Beige	1200 x 1200	9	55
ST309	Custom Colour	2400 x 1200	18	105
ST310	Custom Colour	1200 x 1200	9	60

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday
for next day UK despatch, 2-3 day delivery.

Colours: Black, Grey, Yellow, Beige.

Installation: Fitting service available if required.

Custom Colours - specify your own BS / RAL colour

Have your Safetread flat sheets manufactured in your corporate colours or any other colour of your choice. Clearly identify safe paths and walkways or dangerous hazard areas. An extended delivery time may apply. A full range of RAL & BS colours available.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Floor Sheets

Anti-Slip Sheets for Floors

Designed to be fitted to floors, walkways, disabled access ramps, bridges, landing areas, platforms, piers and pontoons. Safetread™ Floor Sheets are a quick and cost effective solution to improving safety in potential slip hazard areas.

Why buy Safetread™ Floor Sheets?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Corrosion resistant.
- Quick and easy to install.
- Cut to size service available.
- Hardwearing and durable.
- Very competitively priced.
- Special colours and sizes available to order.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Area can be used immediately after installation.

Compliance:

- DDA Compliant.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Colour	Size mm	Weight Kg	£
ST512	Hazard Stripes	2400 x 1200	18	340
ST513	Hazard Stripes	1200 x 1200	9	170
ST514	Hazard Chevrons	2400 x 1200	18	340
ST515	Hazard Chevrons	1200 x 1200	9	170
ST516	Keep Clear	2400 x 1200	18	340
ST517	Black Zebra	600 x 1200	5	35
ST518	White Zebra	600 x 1200	5	35

Plus delivery. All prices exclude VAT.
Large order prices on request.

Place your order before 12.00 midday
for next day UK despatch, 2-3 day delivery.



Installation:

Fitting service available if required.

Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Decking Strips

Anti-Slip Decking Strips - Yellow

With a gritted surface giving excellent traction, Safetread™ non-slip GRP Deck Strips are a quick and easy solution to improving safety in potential slip hazard areas whilst preserving an aesthetically pleasing appearance with a choice of 4 colours.

Supplied with a choice of un-drilled with FREE fixing screws, or pre-drilled with FREE fixing screws. Simply cut and screw to decking surface.

Why buy Safetread™ Decking strips?

- Rated "extremely low potential for slip".
- Tested by the Health and Safety Laboratory (see p.20).
- Pre-drilled for easy fixing, screws included.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Corrosion resistant.
- Impact resistant.
- Low profile.
- Ideal for commercial or domestic use.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Can be used immediately after installation.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST643	50 x 400 x circa 3	0.16	1.56
ST644	90 x 400 x circa 3	0.28	2.80
ST645	50 x 500 x circa 3	0.20	1.95
ST646	90 x 500 x circa 3	0.35	3.50
ST647	50 x 600 x circa 3	0.24	2.34
ST648	90 x 600 x circa 3	0.42	4.20
ST649	50 x 750 x circa 3	0.30	2.93
ST650	90 x 750 x circa 3	0.53	5.25
ST633	50 x 800 x circa 3	0.32	3.12
ST634	90 x 800 x circa 3	0.56	5.60
ST631	50 x 1000 x circa 3	0.4	3.90
ST632	90 x 1000 x circa 3	0.7	7.00
ST606	50 x 2400 x circa 3	0.9	9.36
ST608	90 x 2400 x circa 3	1.6	16.80
ST619	50 x per metre, cut to size*	0.4	3.90
ST620	90 x per metre, cut to size*	0.7	7.00

Plus delivery. All prices exclude VAT. Large order prices on request. Place your order before 12.00 midday for same day despatch.

Colour: Yellow (RAL 1003).

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!** Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Decking Strip 2400mm Long.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Decking Strips

Anti-Slip Decking Strips - Black

With a gritted surface giving excellent traction, Safetread™ non-slip GRP Deck Strips are a quick and easy solution to improving safety in potential slip hazard areas whilst preserving an aesthetically pleasing appearance with a choice of 4 colours.

Supplied with a choice of un-drilled with FREE fixing screws, or pre-drilled with FREE fixing screws. Simply cut and screw to decking surface.

Why buy Safetread™ Decking strips?

- Rated "extremely low potential for slip".
- Tested by the Health and Safety Laboratory (see p.20).
- Pre-drilled for easy fixing, screws included.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Corrosion resistant.
- Impact resistant.
- Low profile.
- Ideal for commercial or domestic use.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Can be used immediately after installation.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST651	50 x 400 x circa 3	0.16	1.56
ST652	90 x 400 x circa 3	0.28	2.80
ST653	50 x 500 x circa 3	0.20	1.95
ST654	90 x 500 x circa 3	0.35	3.50
ST655	50 x 600 x circa 3	0.24	2.34
ST656	90 x 600 x circa 3	0.42	4.20
ST657	50 x 750 x circa 3	0.30	2.93
ST658	90 x 750 x circa 3	0.53	5.25
ST637	50 x 800 x circa 3	0.32	3.12
ST638	90 x 800 x circa 3	0.56	5.60
ST635	50 x 1000 x circa 3	0.4	3.90
ST636	90 x 1000 x circa 3	0.7	7.00
ST614	50 x 2400 x circa 3	0.9	9.36
ST616	90 x 2400 x circa 3	1.6	16.80
ST617	50 x per metre, cut to size*	0.4	3.90
ST618	90 x per metre, cut to size*	0.7	7.00

Plus delivery. All prices exclude VAT. Large order prices on request. Place your order before 12.00 midday for same day despatch.

Colour: Black (RAL 9004).

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!** Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Decking Strip 2400mm Long.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Decking Strips

Anti-Slip Decking Strips - Buff

With a gritted surface giving excellent traction, Safetread™ non-slip GRP Deck Strips are a quick and easy solution to improving safety in potential slip hazard areas whilst preserving an aesthetically pleasing appearance with a choice of 4 colours.

Supplied with a choice of un-drilled with FREE fixing screws, or pre-drilled with FREE fixing screws. Simply cut and screw to decking surface.

Why buy Safetread™ Decking strips?

- Rated "extremely low potential for slip".
- Tested by the Health and Safety Laboratory (see p.20).
- Pre-drilled for easy fixing, screws included.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Corrosion resistant.
- Impact resistant.
- Low profile.
- Ideal for commercial or domestic use.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Can be used immediately after installation.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST659	50 x 400 x circa 3	0.16	1.56
ST660	90 x 400 x circa 3	0.28	2.80
ST661	50 x 500 x circa 3	0.20	1.95
ST662	90 x 500 x circa 3	0.35	3.50
ST663	50 x 600 x circa 3	0.24	2.34
ST664	90 x 600 x circa 3	0.42	4.20
ST665	50 x 750 x circa 3	0.30	2.93
ST666	90 x 750 x circa 3	0.53	5.25
ST641	50 x 800 x circa 3	0.32	3.12
ST642	90 x 800 x circa 3	0.56	5.60
ST639	50 x 1000 x circa 3	0.4	3.90
ST640	90 x 1000 x circa 3	0.7	7.00
ST610	50 x 2400 x circa 3	0.9	9.36
ST612	90 x 2400 x circa 3	1.6	16.80
ST621	50 x per metre, cut to size*	0.4	3.90
ST622	90 x per metre, cut to size*	0.7	7.00

Plus delivery. All prices exclude VAT. Large order prices on request. Place your order before 12.00 midday for same day despatch.

Colour: Buff (RAL1002).

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!** Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Decking Strip 2400mm Long.



Safetread™ Anti-Slip Stair & Flooring System

Safetread™ Decking Strips

Anti-Slip Decking Strips - Brown

With a gritted surface giving excellent traction, Safetread™ non-slip GRP Deck Strips are a quick and easy solution to improving safety in potential slip hazard areas whilst preserving an aesthetically pleasing appearance with a choice of 4 colours.

Supplied with a choice of un-drilled with FREE fixing screws, or pre-drilled with FREE fixing screws. Simply cut and screw to decking surface.

Why buy Safetread™ Decking strips?

- Rated “extremely low potential for slip”.
- Tested by the Health and Safety Laboratory (see p.20).
- Pre-drilled for easy fixing, screws included.
- Quick and easy to install.
- Free cut to size service.
- Hardwearing and durable.
- Corrosion resistant.
- Impact resistant.
- Low profile.
- Ideal for commercial or domestic use.

Benefits:

- Helps create a safer environment.
- Can be applied to nearly any substrate.
- Can be used immediately after installation.

We pride ourselves on offering quality products at competitive prices. Should you receive a more competitive quotation please contact us and we will endeavour to beat it.

To request a free sample or place an order call: 01206 798 798

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk



Code	Size mm	Weight Kg	£
ST667	50 x 400 x circa 3	0.16	1.56
ST668	90 x 400 x circa 3	0.28	2.80
ST669	50 x 500 x circa 3	0.20	1.95
ST670	90 x 500 x circa 3	0.35	3.50
ST671	50 x 600 x circa 3	0.24	2.34
ST672	90 x 600 x circa 3	0.42	4.20
ST673	50 x 750 x circa 3	0.30	2.93
ST674	90 x 750 x circa 3	0.53	5.25
ST629	50 x 800 x circa 3	0.32	3.12
ST630	90 x 800 x circa 3	0.56	5.60
ST627	50 x 1000 x circa 3	0.4	3.90
ST628	90 x 1000 x circa 3	0.7	7.00
ST623	50 x 2400 x circa 3	0.9	9.36
ST624	90 x 2400 x circa 3	1.6	16.80
ST625	50 x per metre, cut to size*	0.4	3.90
ST626	90 x per metre, cut to size*	0.7	7.00

Plus delivery. All prices exclude VAT.
Large order prices on request.
Place your order before 12.00 midday for same day despatch.

Colour: Brown.

Installation: Fitting service available if required.

***Don't want to cut them yourself? Let us do it for you!**
Call or email your sizes, and we'll cut for you, free of charge.

Cutting Tolerances +/- 3mm.
Maximum single size of Decking Strip 2400mm Long.





Place your order before 12.00 midday for next day despatch, following day delivery.

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk

Safetread™ Anti-Slip Stair & Flooring System

Installation Tools, Screws & Adhesives



Standard Screw Fixings

Stainless steel, Flange head, pozi, self-tapping screws.
All prices exclude VAT. Free delivery.

Code	Size mm	Quantity	£
ST804	No.8 x 25mm	100 Screws	5.99
ST805	No.8 x 25mm	500 Screws	21.99
ST806	No.8 x 25mm	1000 Screws	39.99



Coloured Top Screw Fixings

Coloured top, stainless steel, Torx head, self-tapping screws.
Size: 11.5mm Ø head x 4.8mm Ø x 25mm. With FREE Torx Bit included per pack.
All prices exclude VAT. Free delivery.

Code	Colour	Quantity	£
ST810	White RAL 9003	100 Screws	19.50
ST811	Grey RAL 7035	100 Screws	19.50
ST812	Black RAL 9004	100 Screws	19.50
ST813	Buff RAL 1001	100 Screws	19.50
ST814	Yellow RAL 1003	100 Screws	19.50
ST815	Brown RAL 8007	100 Screws	19.50



Rawl Plugs

Pack of 100 Red Plastic Rawl Plugs. Drill Size: 5.5/6mm, Screw Size: 6/8/10G.
All prices exclude VAT. Free delivery.

Code	Quantity	£
ST816	Pack of 100	1.25



Place your order before 12.00 midday for next day despatch, following day delivery.

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk

Safetread™ Anti-Slip Stair & Flooring System

Installation Tools, Screws & Adhesives

Adhesive Sealant Gun

Trade quality, adhesive glue-gun for use with sealant and adhesive cartridges. Ideal for using with SikaFlex Cartridges. All prices exclude VAT. Free delivery.



Code	Description	Quantity	£
ST820	Skeleton Sealant Gun	1	5.99

ProDec Adhesive Sealant Glue-Gun

Trade quality, heavy duty adhesive glue-gun. Barrel rotates to allow for smooth application of adhesives and sealants. Ideal for using with SikaFlex Cartridges. All prices exclude VAT. Free delivery.



Code	Description	Quantity	£
ST821	Skeleton Sealant Gun	1	7.50

SikaFlex 221

Strong adhesive sealant. Suitable for adherence to concrete, brick, steel & timber. Colour: Black. All prices exclude VAT. Free delivery.



Code	Description	Quantity	£
ST822	SikaFlex 221 300ml Tube	1	8.00



Place your order before 12.00 midday for next day despatch, following day delivery.

www.suigeneris.co.uk

www.suigeneris-buyonline.co.uk

Safetread™ Anti-Slip Stair & Flooring System

Installation Personal Protective Equipment (PPE)



Overspecs Safety Spectacles

Overspecs Safety Spectacles Eye Protection. Can be worn over normal glasses. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST827	Overspecs Safety Spectacles	1 Pair	1.66



Safety Spectacles

Op-tema Safety Spectacles Eye Protection. Clear Lens with soft nose pads & neck cord. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST826	Safety Spectacles	1 Pair	2.92



Grip Gloves

Polyco Matrix S Grip Safety Gloves with flexible crinkle latex coating for good wet & dry grip. Offers hand protection from abrasion, scratches & dirt. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST825	Grip Gloves	1 Pair	2.49



Place your order before 12.00 midday for next day despatch, following day delivery.
www.suigeneris.co.uk
www.suigeneris-buyonline.co.uk

Safetread™ Anti-Slip Stair & Flooring System

Installation Personal Protective Equipment (PPE)



Face Mask

Face Mask, Fold Flat Respirator. Valved for easier breathing. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST828	Face Mask	1	2.49
ST829	Face Mask	Box of 10	20.83



Face Mask 3M 4251 Respirator

Flexible, soft, comfortable fit to face. Exhalation valve for effective removal of heat & moisture build up. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST830	Face Mask	1	16.40



Ear Defenders

Ear Defenders in Black & Green. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST831	Ear Defenders	1 Pair	3.33



Coverall

DuPont Tyvek Classic Xpert Disposable Coverall. Sizes: Large & X Large. All prices exclude VAT. Free delivery.

Code	Description	Quantity	£
ST833	Disposable Coverall Large	1	4.99
ST834	Disposable Coverall X Large	1	4.99

Safetread™ Anti-Slip Stair & Flooring System

Anti-Slip Test Results

Measurement of Surface Slipperiness

A laboratory slipperiness assessment was undertaken by the Health & Safety Laboratory (UK) in accordance with guidelines recommended by United Kingdom Slip Resistance Group (Issue 2,2000) and protocols outlined in BS 7976:2.

Slip Risk Classification based on Pendulum Test Value

Pendulum measurements were taken in 3 directions for accurate assessments:

Product Tested	Dry Reading	Wet Reading	Slip Risk
Stair Treads	70/73/74	65-68-68	Extremely Low
Stair Nosings	70/73/74	65-68-68	Extremely Low
Floor Sheets	70/73/74	65-68-68	Extremely Low
Decking Strips	70/73/74	65-68-68	Extremely Low

KEY

Pendulum Value	Slip Risk
0 - 24	High
25 - 35	Moderate
36 - 64	Low
65+	Extremely Low



Slip Risk Classification based on RZ Microroughness Values

Applicable for water-wet, low activity pedestrian areas. Data could not be generated due to the level of roughness exceeding the range of this instrument. This suggests the measurement would be at least 100 and therefore a low slip risk.

Product Tested	Reading	Slip Risk
Stair Treads	100+	Low
Stair Nosings	100+	Low
Floor Sheets	100+	Low
Decking Strips	100+	Low

KEY

RZ Surface Roughness (microns)	Slip Risk
Below 10	High
10 or above (but below 20)	Moderate
20 or above	Low

The test results presented relate only to the flooring samples under study at the time of testing. The performance of installed materials may change significantly during their lifetime: slip resistance is critically dependent on the level and type of contamination, application of the surface treatment, wear, maintenance and effective cleaning subsequent to installation.

To view the full report visit our website www.suigeneris.co.uk

